
Chambers BUILT-INS

SINCE 1910
THE MOST HONORED
NAME IN AMERICA'S
FINEST KITCHENS...



Over 50 Years of Famous Firsts by

Since developing the first truly modern insulated range in 1910, Chambers has pioneered many outstanding appliances for the kitchen. Among the many unique Chambers achievements are . . . FIRST and ONLY "Retained-Heat" deluxe ranges . . . "cook with the fuel turned off" . . . FIRST automatic range . . . FIRST with appliances in modern colors . . . FIRST and ONLY range with counter-high broiler and griddle . . . FIRST approved gas built-in ranges . . . FIRST "Custom-Matched" built-in kitchen appliances.

Chambers



Chambers first insulated range . . . 1910



Deluxe color kitchen with Chambers oversize oven, rotisserie, surface range, hood, dishwasher, and 19-cubic-foot refrigerator-freezer. Customplanned to fit America's smartest kitchens and for only pennies a day!

Chambers custom-matched kitchen includes oven, surface range, ventilating hood, disposer, and 17-cubic-foot refrigerator with "Decorator Door" which can be finished in matching woods, plastics, or colors.





CHAMBERS BUILT-INS CO., P. O. Box 218, Arlington Heights, III. A Division of Chambers Corp.

DISTRIBUTED BY


CHANDLER COMPANY

CEDAR RAPIDS, IOWA



EXCLUSIVE


"RETAINED-HEAT" OVENS



GAS or ELECTRIC

Cook with the fuel turned off!®

Here are the most exciting ovens any homemaker has ever enjoyed. Nothing new to learn about cooking—but, oh so many wonderful time- and laborsaving advantages! They finish an hour's cooking on a few minutes of fuel—without pot-watching. Cook a full meal while you're away (with foods of different cooking times), serve it hot one minute after you return. Three times as much insulation seals heat it, makes these the "coolest cooking" ovens ever. Meals cook with the fuel turned off! You'll also broil steaks without smoke—with the oven door closed! Discover Chambers "Retained-Heat" cooking and you'll realize a new world of kitchen freedom never before possible!



"IMPERIAL TWINS" OVENS

The finest ovens in 50 years, these new Chambers "Retained-Heat" built-in units do full meals *automatically*—with the fuel turned *off* after the first few minutes. Each oven has automatic appliance outlet, pushbutton oven interior light, special "keep-

ELECTRIC

Model OEO-42 Satin Chrome Model OEO-52 Antique Copperlux Model OEO-82 Porcelain Colors warm" control, and rotisserie in electri ovens. Easy-to-clean side racks lift of leaving smooth interior exposed. Twin Oven size: Over-all—50-3/4" wide x

Twin Oven size: Over-all—50-3/4" wide x 28-5/8" high. Cutout: 48-5/8" wide x 26-3/8" high x 24" deep.

GAS

Model OGAO-42 Satin Chrome Model OGAO-52 Antique Copperlux Model OGAO-82 Porcelain Colors





SINGLE "IN-A-WALL" OVENS

Identical to the "Imperial Twins," this single oven is ideal for the average family, yet will serve up to 20 with a minimum of effort. Cooks a full meal with foods of different

ELECTRIC

Model OEO-4 Satin Chrome Model OEO-5 Antique Copperlux Model OEO-8 Porcelain Colors cooking times—automatically, with the fuel turned off! Thrill to a demonstration of these Chambers ovens and you'll learn how work-free perfect cooking really can be!

GAS

Model OGAO-4 Satin Chrome Model OGAO-5 Antique Copperlux Model OGAO-8 Porcelain Colors

SINGLE "STACK-ON" OVEN

Creates illusion of a built-in with minimum installation cost. Rests on regular 24" wide cabinet that is 28" high. Top of oven becomes handy utensil shelf. Regular 30" wall cabinet drops down on insulated oven top. Oven size: 24" wide x 26" high.



GAS
Model OGA-4 Satin Chrome
Model OGA-5 Antique Copperlux



ELECTRIC

Model OE-4 Satin Chrome

Model OE-5 Antique Copperlux

CUSTOM-MATCHED ELE





"In-A-Top" All-Electric Broiler and Griddle.


You'll never stoop to broil again. Unique smokeless broiler. Broiler rises counterhigh at flick of your

wrist. Perfect temperature control of griddle. You never touch a hot rack from start to finish and serve direct to table on "sizzling platter." Easy to clean and keep clean. Matched instrument panel. "Heat Miser" thermostat on right front element. Front panel: Sculptured Satin Aluminum or Antique Copperlux. Back splash and side panels optional. Specify.

Over-all Size: 42" wide, 25" deep, 8" high. Mounts on 42" wide x 28" high base.

Chambers

DISHWASHER-DRYERS



33 R/

T1-

infi

T1-

cor

TC

7-5

Onl

frar

Tw

deli

Ri

Sin

TO

TO

"S

Dr

T1

To

Spa

De

pro

ute

Jet

sev

eas

eas

All

A1

Dr

Ne

allo

fee

dec

fro

cou

T1-

"He

T1-

T1-

T1-

"SI

Dr

Fits

T1-

bur

on

T1-

Qui

cou

hot

Hig

0

0

.

-

0

0

.

.

-

.

.

•

.

-

Tremendous dishwashing performance...sparkling results! You get two power washes—four power rinses—high-power drying. Superb, custommatched units. Swirling spray drives scalding water over dishes at the rate of 2460 gallons per cycle. Washes 12 complete settings. Prewashes, prerinses automatically. Cool-wall drying sends stream down drain, not into kitchen. Size: 24" wide, 34-7/16" high under counter x 24-1/4" deep. Colors: Antique Copperlux, Satin Chrome, Prime White for finishing in any color. Optional "Decorator Door."

—pushbutton pump. With optional "Decorator Door" DGS-300 standard gravity DPS-310 standard pump

DPD-320 Deluxe Dishwasher



Easy front loading. Removable silverware rack in front.

Swirl-a-tray gently moves dishes through floods of super-heated water for sparkling performance.

CUSTOM-MATCHED GAS





"In-A-Top" Gas Broiler and Griddle

World's only counterhigh, no-stoop broiling ...smokeless broiling and grilling. You never touch a hot rack from

start to finish—serve direct to table on handsome aluminum broiler platter. Matched instrument panel, four oversize "Super-Daisy" speed burners with thermostat "Heat Miser" on one burner. Satin Chrome top deck. Front panel: Sculptured Satin Aluminum or Antique Copperlux. Back splash and side panels optional. Specify.

Over-all size: 42" wide, 25" deep, 8" high. Mounts on 42" wide x 28" high base.

Chambers HEAVY-DUTY DISPOSERS

Unconditional One-Year Factory Guarantee*



Deluxe Hush-A-Way Disposer Model CH-8000

The finest in food disposers for those who demand long-lasting satisfaction and outstanding performance. Heavy 1/3-hp motor provides instant grinding of heaviest loads. Diamond-hard cutting sleeve shreds toughest bones. Precision-balanced for silent, vibration-free operation. Shred control assures all food waste ground to finest consistency before going through strainer grooves. Lifetime lubrication, quick, easy installation. Over a million units in use with septic tanks.

*Satisfaction guaranteed or distributor will replace if trouble occurs due to factory defect within one year of installation.



Heavy-Duty Deluxe Disposer Model CF-880

This continuous-feed disposer delivers smooth, silent operation. Heavy-duty motor, precision cutting sleeves assure vibration-free performance year after year. Same unconditional one-year guarantee. Easily adapted for septic tank use.

Chambers

CUSTOM-MATCHED REFRIGERATOR-FREEZERS



F1D-180 "Imperial" Freezer with
Automatic Ice Maker and Automatic Defrost

Matching "Imperial" Twins

For large families, major occasions! Luxurious 32-ft capacity—yet occupies only 72" of wall space. Huge 17 cu ft refrigerator and matching freezer. May be installed separately, if desired.



RF1D-190— Refrigerator-Freezer RF1-190— Refrigerator-Freezer

Perfect balance of refrigeration and freezing. 19 cu ft in only 36" of wall space. 12 cu ft refrigerator, separate 6.5 cu ft freezer. All Chambers colors. Truly built-in design, Chambers refrigerator-freezers need no costly framing or cabinet installation. Each unit is self-framing and self-supporting. Just 24" deep, the "Decorator Door" lines up with cabinets. Easy to clean inside and out.

Separate systems and controls for refrigerator and freezer. Choose the best temperature for each compartment. Heavy-duty, hermetically sealed compressor for long-life operation.


Removable "Decorator Door" panels allow you to insert panels to match your own kitchen decor. Side panels in full and half lengths optional. Magnetic door seal on all three sides assures perfect closure.

Custom-matched interiors of Classic White, Decorator Gray, and Gold. All on heavy, rust-free aluminum.

Custom-matched finishes at no extra cost: Decorator White, Pink, Yellow or Turquoise deluxe baked-on enamel. Also deluxe finishes: Antique Copperlux or Stainless Steel.

Refrigerator Features: Ideal storage arrangement with two pull-out crispers and adjustable pull-out egg basket. Adjustable shelves quickly arranged to suit your convenience. Automatic refrigerator defrost on all Chambers refrigerators. "Uni-Temp" circulates moist-cold air gently up, down, and out to every corner of the refrigerator. Freezer Features: Big storage capacity in door. Four

Freezer Features: Big storage capacity in door. Four ice-cube trays. All foods remain at zero temperature or lower. Freezer plate beneath each rack for quick freezing. Automatic Ice Maker and automatic freezer defrost standard in "Imperial" models.



"V.I.P." Series 120 Combination R1-120 Refrigerator F1-120 Freezer

More than 21 cu ft of refrigerator-freezer storage in only 72" of wall space, at waist-high level. May be installed separately.



Automatic Ice Maker

In Chambers "Imperial" freezers, it delivers a continuous supply of ice cubes. Completely automatic. No water trays to fill. Always plenty of sparkling ice for parties!



Under-Counter Ice Maker

UC-1-300 18" freezer with Automatic Ice Maker makes and stores its own ice—without trays. Capacity, 400 half-circles of ice daily (20 lb). "Decorator Door." All finishes.



36" wide, vet 73" height is perfect for all installations. Fits easily under low ceilings, soffits, and stairways. Refrigerator capacity is 11.7 cu ft . . . freezer capacity 4.5 cu ft. Available with removable panels in any finish desired: wood, plastic, or colors. Finishes: Prime Coat (for painting any color or inserting decorator panels 1/8" or less thick), White, Pink, Yellow, Turquoise, Antique Copperlux, or Stainless Steel.



Model RF1-170

ling ice for parties! Door." All REFRIGERATOR-FREEZER SPECIFICATIONS

Right or left-hinged doors (as you face unit). No venting required.

All self-contained units service from front without removing from wall.

Series	Capa Ref.	Frz.	Ht.	mension Wdth.	s Dpth.	Exact Rough-In. Wdth. Ht.		P. Frz.	Shpt. Wt.
	COMBINATION REFRIGERATOR-FREEZERS								
*RF1D-190 *RF1-190	12.	6.5	84"	36"	24"	35-1/2" x 83-3/4"	1/6	1/8	483
*RF1-170	11.7	4.5	73″	36"	24"	35-1/2" x 72-3/4"	1	/4	435
SINGLE REFRIGERATORS AND FREEZERS									
R1-200	19.0		84"	36"	24"	35-1/2" x 83-3/4"	1/5	1/8	468
** R1-120	12.0		47-1/4"	36"	24"	35-1/2" x 46-3/4"(R)° 35-1/2" x 57-3/4"(S.C.)	1/6		283
** F1-120		9.5	47-1/4"	36"	24"	35-1/2" x 46-3/4"(R)° 35-1/2" x 57-3/4"(S.C.)		1/5	273
R1-180	17.0		73"	36"	24"	35-1/2" x 72-3/4"°	1/5		380
F1-180 F1D-180		14.	73"	36"	24"	35-1/2" x 72-3/4"°		1/4	415
UC1-300	20 1	bs.	34-1/2"	18"	24"	18" x 34-1/2"		1/5	150

^{*}Self-contained or remote installation. Remote installation requires qualified serviceman to install.

^{**}Grill furnished as extra equipment. *Rough-in width 71-1/2" when placed side-by-side.



ECTRIC SURFACE RANGES

3" SURFACE RANGE



only 3" deep, shallow design permits up to six-square-foot drawer. Selframing, deep-sculptured deck protects adjacent surfaces from hot utensils. I'wo 6" and two 8" Super-Jet elements with *infinite* control settings plus eluxe thermostat. Drops into 36" cabinet. Cutout: 32-3/4" wide x 19" deep.

Rim-Type 33" Drop-In Range (not shown)

similar to T1-33EH except deck is flush with counter top.

OR-33EH . . . "Heat Miser" infinite controls.

OR-33 . . . standard controls. Cutout: 34" wide x 20-3/16" deep.

Space-Saver" Drop-In Range F1-21E

For quality in a space-saving design. Deep sculptured deck protects counter from hot attensils. Three 6" and one 8" let Speed elements with seven speeds, Smart,



easily read instrument panel. Fits 24" cabinet. Porcelain range box—easy to clean and keep clean. Cutout: 19-15/16" wide x 19-3/4" deep. All Chambers drop-in surface ranges shown use interchangeable cutouts.

S SURFACE RANGES



All New 33" Drop-In Range

New, shadow-thin design allows full six square eet of drawer space. Elevated leck protects counter surfaces rom utensils. Drops into any 36" squarter. Cutout: 32-3/4" wide x 2

rom utensils. Drops into any 36" counter. Cutout: 32-3/4" wide x 19" deep.

[1-33GSH—super deluxe, three "Super-Daisy" burners, one thermostat 'Heat Miser" burner. Deluxe controls.

Γ1-33GS—four "Super-Daisy" burners.

Γ1-33GH—three high-speed aluminum burners, thermostat "Heat Miser."

Γ1-33G—four high-speed aluminum burners.

'Space-Saver" Drop-In Range

its only 21" counter space.

Γ1-21GH—three aluminum purners, thermostat "Heat Miser"

on front burner.

Γ1-21G—four aluminum burners.

Quality and capacity in only 21" of counter space! Raised deck keeps not pans above counter surfaces. High-speed gas burners have Hi-



Lo-Click simmer valves. Interior box is porcelain for easy cleaning. Drops into any 24" cabinet.

Cutout: 19-15/16" wide x 19-3/4" deep.

Chambers

VENTILATING HOODS

DELUXE POWER BLOWER



Hush-quiet blower power...the perfect way to ventilate a kitchen! These outstanding units are designed to remove heat, smoke, and odors from all over the kitchen and push them outside... with positive centrifugal blower power.



Light, switches, and blower built in beneath hood.



B-91 . . . standard: one-speed single blower, twin lights. B-92 . . . heavy-duty deluxe twin blower, two speed, twin lights.



Permanent filter removes easily for cleaning.


19-3/8" deep x 9-1/2" high

Provincial	Contemporary	Contemporary	
(Scalloped)	(Straight)	(Straight)	
Antique Copperlux	Antique Copperlux	Stainless Steel	
HP-30-5 w. 30" HP-36-5 w. 36" HP-42-5 w. 42"	HC-30-5 w. 30" HC-36-5 w. 36" HC-42-5 w. 42" Chambers Colors in Contempo	HC-30-4 w. 30" HC-36-4 w. 36" HC-42-4 w. 42" orary Hoods only. Specify.	

Also fan models in above Contemporary style, identical finishes. Models HF-30, HF-36, HF-42.

SUPER EXHAUST MITERED HOOD





New, smart mitered design. Quiet, high-speed performance. Completely assembled, ready to install.

Highest quality in exhaust-type ventilation equipment. Hoods are of top-quality mitered design—lock-welded for quiet, vibration-free operation. Exhausts heat, smoke, and odors from kitchen to outdoors. Vents either through top or rear.

18" deep x 5" high

Antique Copperlux	Stainless Steel		
HFM-30-5 w. 30" HFM-36-5 w. 36"	HFM-30-4 w. 30" HFM-36-4 w. 36"		
HFM-42-5 w. 42"	HFM-42-4 w. 42"		

Chambers Colors available at no extra cost. Specify.

Back-splash panels in all widths and 24" high available for all of the above ventilating hoods.

Chambers

CUSTOM-MATCHED REFRIGERATOR-FREEZERS



F1D-180 "Imperial" Retrigerator
F1D-180 "Imperial" Freezer with

Matching "Imperial" Twins

For large families, major occasions! Luxurious 32-ft capacity—yet occupies only 72" of wall space. Huge 17 cu ft refrigerator and matching freezer. May be installed separately, if desired.



RF1D-190— Refrigerator-Freezer

RF1-190— Refrigerator-Freezer

Perfect balance of refrigeration and freezing. 19 cu ft in only 36" of wall space. 12 cu ft refrigerator, separate 6.5 cu ft freezer. All Chambers colors. Truly built-in design, Chambers refrigerator-freezers need no costly framing or cabinet installation. Each unit is self-framing and self-supporting. Just 24" deep, the "Decorator Door" lines up with cabinets. Easy to clean inside and out,

Separate systems and controls for refrigerator and freezer. Choose the best temperature for each compartment. Heavy-duty, hermetically sealed compressor for long-life operation.

Removable "Decorator Door" panels allow you to insert panels to match your own kitchen decor. Side panels in full and half lengths optional. Magnetic door seal on all three sides assures perfect closure.

Custom-matched interiors of Classic White, Decorator Gray, and Gold. All on heavy, rust-free aluminum.

Custom-matched finishes at no extra cost: Decorator White, Pink, Yellow or Turquoise deluxe baked-on enamel. Also deluxe finishes: Antique Copperlux or Stainless Steel.

Refrigerator Features: Ideal storage arrangement with two pull-out crispers and adjustable pull-out egg basket. Adjustable shelves quickly arranged to suit your convenience. Automatic refrigerator defrost on all Chambers refrigerators. "Uni-Temp" circulates moist-cold air gently up, down, and out to every corner of the refrigerator.

Freezer Features: Big storage capacity in door. Four ice-cube trays. All foods remain at zero temperature or lower. Freezer plate beneath each rack for quick freezing. Automatic Ice Maker and automatic freezer defrost standard in "Imperial" models.



"V.I.P." Series 120 Combination R1-120 Refrigerator F1-120 Freezer

More than 21 cu ft of refrigerator-freezer storage in only 72" of wall space, at waist-high level. Maybeinstalled separately.

AUTOMATIC ICE

Automatic Ice Maker

In Chambers "Imperial" freezers, it delivers a continuous supply of ice cubes. Completely automatic. No water trays to fill. Always plenty of sparkling ice for parties!



Under-Counter Ice Maker

UC-1-300 18" freezer with Automatic Ice Maker makes and stores its own ice—without trays. Capacity, 400 half-circles of ice daily (20 lb). "Decorator Door." All finishes.



Model RF1-170

Refrigerator-Freezer

36" wide, yet 73" height is perfect for all installations. Fits easily under low ceilings, soffits, and stairways. Refrigerator capacity is 11.7 cu ft . . . freezer capacity 4.5 cu ft. Available with removable panels in any finish desired: wood, plastic, or colors. Finishes: Prime Coat (for painting any color or inserting decorator panels 1/8" or less thick), White, Pink, Yellow, Turquoise, Antique Copperlux, or Stainless Steel.


REFRIGERATOR-FREEZER SPECIFICATIONS

Right or left-hinged doors (as you face unit). No venting required.
All self-contained units service from front without removing from wall.

Series	Capa Ref.	rcity Frz.	Di Ht.	mension: Wdth.	Dpth.	Exact Rough-In. Wdth. Ht.		P. Frz.	Shpt. Wt.
	COMBINATION REFRIGERATOR-FREEZERS								
*RF1D-190 *RF1-190	12.	6.5	84"	36"	24"	35-1/2" x 83-3/4"	1/6	1/8	483
*RF1-170	11.7	4.5	73"	36"	24"	35-1/2" x 72-3/4"	1	/4	435
SINGLE REFRIGERATORS AND FREEZERS									
R1-200	19.0		84"	36"	24"	35-1/2" x 83-3/4"	1/5	1/8	468
** R1-120	12.0		47-1/4"	36"	24"	35-1/2" x 46-3/4"(R)° 35-1/2" x 57-3/4"(S.C.)	1/6		283
** F1-120		9.5	47-1/4"	36"	24"	35-1/2" x 46-3/4"(R)° 35-1/2" x 57-3/4"(S.C.)		1/5	273
R1-180	17.0		73"	36"	24"	35-1/2" x 72-3/4"°	1/5	Sales	380
F1-180 F1D-180		14.	73″	36"	24"	35-1/2" x 72-3/4"°		1/4	415
UC1-300	20 1	bs.	34-1/2"	18"	24"	18" x 34-1/2"		1/5	150

*Self-contained or remote installation. Remote installation requires qualified serviceman to installation.

**Grill furnished as extra equipment. *Rough-in width 71-1/2" when placed side-by-side.



QUALITY MATCHED BUILT-INS

NEW ELECTRIC TWIN OVENS



OEV1-5A1R Antique Copperlux OEV1-4A1R Satin Chrome OEV1-8A1R Porcelain Colors Rotisserie and Automatic Roast Guide



OEV1-5A1 Antique Copperlux OEV1-4A1 Satin Chrome OEV1-8A1 Porcelain Colors Automatic Clock Control, Rotisserie Optional

Super-deluxe picture-frame design with deep three-dimension glass control panel, 100% automatic Roast Guide or clock controls, with 60-minute timer . . . automatic appliance outlet makes any electric appliance automatic . . . streamlined tubular door handle grips over or under huge window, oven light . . . huge double-oven capacity and quality performance in Chambers "Custom-Matched" design . . . all in 24" of cabinet space! Size over-all: 23-1/8" wide x 39-1/8" high. Cutout: 22" wide x 38" high x 23-7/8" deep.



OEB2-5* Antique Copperlux OEB2-4* Satin Chrome OEB2-8* Porcelain Colors

*Optional: Window, oven light, automatic clock with minute minder, or manual minder.

Wide look in a 24" oven! Huge upper oven, with white control panel, full-width doors, roomy easy-to-clean interior. Two thermostats, signal lights, super-fast pre-heat in upper oven. Electric clock and 60-minute bell alarm. Size over-all: 23-1/8" wide x 39-1/8" high. Cutout: 22" wide x 38" high x 23-7/8" deep.



All Chambers electric ovens and surface ranges operate on 120/240 volt a-c three-wire electrical service.

ELECTRIC CUSTOM SINGLE OVENS



OEC1-5A1 A. Copperlux OEC1-4A1 Satin Chrome OEC1-8A1 Porcelain Colors



*OEB-5 A. Copperlux *OEB-4 Satin Chrome *OEB-8 Porcelain Colors

OEC1-5A1 Deluxe Single Ovens—with 100% automatic clock control. Picture frame around oven and door with deep dimension control panel. Automatic appliance outlet, nonfog window, oven light. Oven thermostat, automatic preheat. Rotisserie optional.

*OEB-5 Wide look in 24" oven — fullwidth doors, custom handles, white porcelain instrument panel. Easy-to-clean oven, thermostat with super-fast preheat. Two-piece broiler pan with shield. Optional features pictured: Automatic clock, manual 60-minute minder with alarm, nonfog window, oven light. Specify.

Single ovens: 23-1/8" wide x 25-7/8" high. Cutouts: 22" wide x 24-7/8" high x 23-7/8" deep.

Roust

NEW OVERSIZE GAS OVENS



OGV1-5A1R A. Copperlux OGV1-4A1R Satin Chrome OGV1-8A1R Colors

OGV1-5A1R, 4A1R, and 8A1R.



OGV1-51 A. Copperlux OGV1-41 Satin Chrome OGV1-81 Colors

OGV1 Deluxe Oversize Ovens-smart control panel, electric

clock and 4-hour timer and bell alarm. Lo-Temp Flame-Master thermostat.

Smart tubular door handle, nonfog window, oven light. Huge oven, large

two-piece broiler. Automatic Roast Guide and rotisserie standard on




*OGB-5 A. Copperlux *OGB-4 Satin Chrome *OGB-8 Colors



A.G.A.
approved for all
gases, natural,
manufactured,
LP, bottled, or
tank.

NEW AUTOMATIC ROAST GUIDE Automatically transfers all s

Automatically transfers all settings for any weight roast—cooks the roast as you wish. Greatest advance in automatic timed cooking in 20 years. Two simple, easy-to-use settings. Standard on deluxe gas and electric ovens.



ROTISSERIE MODEL ROT-41


Rotisserie frame and spit rests snugly on broiler pan. Simply pull out broiler pan to carry entire unit. Broiler pan catches juices, saves cleanup. Switch and signal light on deluxe models.

OGB Custom Gas Ovens—the wide look in a 24" gas oven. Lo-Temp Flame-Master thermostat holds oven at "keep-hot" 140° temperature 'til you serve. White porcelain panel with standard accessories and three-dimensional trim. Full-width door panels in matched finishes. Oversize smokeless broiler, two-piece porcelain broiler shield. *Optional features shown: window, oven light, automatic clock-minute minder, or manual timer. Specify.

All Oven Sizes: 23-1/8" x 39-1/8", Cutouts: 22" x 38" x 23-1/2" deep.

New Lo-Temp Flame-Master Thermostat. On all Chambers deluxe and custom gas ovens. Lo-Temp controls oven temperature down to a precise 140°. Keeps the meal hot 'til serving time.






Chambers

SINCE 1910...
THE MOST
HONORED NAME
IN AMERICA'S
FINEST KITCHENS

Chambers: Quality Built-ins give your kitchen a "custom" look without the "custom" price

Now you can enjoy the luxury, the convenience of a custom kitchen—at a price that will fit your budget. Known and respected by smart homemakers for over 50 years—Chambers built-in kitchen appliances blend perfectly with every floor plan, every color motif.

The complete line of Chambers built-in appliances includes oven and surface ranges (both gas and electric), refrigerator-freezers, dishwashers, exhaust hoods, and disposers. Plan your new home or remodeled kitchen around beautiful Chambers custommatched appliances. Ask your Chambers dealer how you can enjoy this new kitchen of your dreams for only pennies a day!



Pastel Yellow



Pastel Pink



Antique Copperlux



Satin Chrome and Stainless Steel



Turquoise



Coppertone (Surface Ranges Only)

Choose from these smart custommatched and co-ordinated colors and finishes

Now—color-style your kitchen in co-ordinated custom finishes. Rich lifetime porcelain colors are deep-fired... remain bright, brilliant for the life of your kitchen. They stay fresh and lovely, too—wipe clean with the swish of a damp cloth. There is no finer porcelain anywhere—at any price!

Antique Copperlux—developed by Chambers research—is one of the most luxurious and durable finishes available today. Cleans with a cloth, will not crack, craze, or shatter.

Also available in Snow White porcelain.

For the HEART of Family Living . . .

Chambers

Matched Custom and Deluxe Electric Ovens and Surface Ranges*





Your Kitchen Plans Deserve the Finest . . .



SINCE 1910... the most honored name in America's finest kitchens.

CUSTOM-MATCHED DESIGNS, FINISHES AND COLORS . . .

All Chambers Built-ins match not only in finishes and colors, but in frames,trim,control panels, and accessory detail. Choice of two deluxe finishes, four colors:

Antique Copperlux: Lustrous hand-textured finish especially developed by Chambers, harmonizes with natural wood. Nine separate operations lend rich depth, durability. Won't crack, craze, tarnish. Cleans with damp cloth.

Satin Chrome: Fine-grained satin finish, famous for its sheen and durability. Easy to clean.

Architectural Porcelain Colors: Chambers deep-fired colors hold their brightness forever, clean like china. Choice of Decorator White, Turquoise, Pink, or Yellow in ovens and surface ranges. Coppertone porcelain matches Antique Copperlux, comes in drop-in surface ranges only.

*Chambers Imperial Retained-Heat Ovens described in separate specifications. "Cook with the fuel turned off."

SPECIFICATIONS

The finest from Chambers craftsmen; a size and model for every kitchen plan! Luxurious styling, superb performance, quality-designed in lustrous finishes to match all Chambers Built-ins: refrigerator-freezers, dishwasher-dryers, ventilating hoods, disposers. Years from now, you'll be proud you chose Chambers!

HUGE DOUBLE OVENS . . . ALL



OEV1-5A1R

OEV1-5A1R Antique Copperlux

OEV1-4A1R Satin Chrome

OEV1-8A1R

Porcelain Colors Rotisserie and Automatic

Roast

Guide

OEV1-5A1 Antique Copperlux **OEV1-4A1**

Satin Chrome

OEV1-8A1 Porcelain Colors

Automatic Clock Control. Rotisserie Optional

Super-deluxe picture-frame design with deep three-dimension glass control panel, 100% automatic Roast Guide or clock controls, with 60minute timer... automatic appliance outlet makes any electric appliance automatic . . . streamlined tubular door handle grips over or under; huge window, oven light . . . huge double-oven capacity and quality performance in Chambers "Custom-Matched" design . . . all in 24" of cabinet space! Size over-all: 231/8" wide x 391/8" high. CUTOUT: 22" wide x 38" high x 23 1/8" deep.

100% automatic clock controls for giant upper oven. Automatic appliance outlet has fused safety circuit. Amazing Roast Guide assures perfect roasts, 60minute timer alarms until stopped.

Three-dimension satin picture frame around both ovens and doors of deluxe models . . . wide, wide doors on custom models.

Big nonfog window with oven light. Silicon Rubber door seal . . . holds heat inside for perfect performance!

Smoothest oven interior ever-for perfect cleaning!



Doors open level! Exclusive hinge lets door open flat. Provides level support for hot roasters, etc.

Compa'e ners lift of Is. No ew hea elements bottom.

HUGE c oven-Ho ers-five tions. Up element ; element 3 oven, 1500

Nontilt, racks with not be ac from oven.

Perfect be two-piece pan and s



Chambers Deluxe AUTOMATIC ROAST GUIDE

The ultimate in roasting perfection! Automatically transfers all settings for any weight roast, cooks the roast as you wish. This "automatic cookbook" is the greatest advance in automatic timed cooking in 20 years. Two simple settings.



All Chambers electric ovens and surface ranges operate on 120/240 volt AC threewire electrical service.

FULL-WIDTH SINGLE OVENS



Model OEC1-5A1 **Antique Copperlux**



Model OEB-5CTW-with optional features: Large window and oven light, automatic clock, and minute minder.

Deluxe Single Ovens

OEC1-5A1 Antique Copperlux

OEC1-4A1 Satin Chrome

OEC1-8A1 Porcelain Colors

The perfect oven for the smaller family! 100% automatic clock control with minute minder! Deluxe satin-finish picture frame all around oven and door, with deep-dimension control panel. Automatic appliance outlet with fused circuit makes any electric appliance automatic. Chic tubular door handle grips over or under. Huge oven capacity . . . superb performance. Big easy-view nonfog window

and oven light with deluxe switch. Deluxe oven thermostat with super-fast automatic preheat and thermostat signal light. Wired for optional rotisserie. All Chambers deluxe qualities in a compact ovenbroiler combination.

Large two-piece porcelain broiler pan and shield especially for designed luxurious results.

Easy to clean: All rack runners lift out, bake element lifts up, exposing perfectly smooth interiorno rough edges or screw heads.

Wattage: Broil: 3000; Bake: 2300; Amps: 25

Wide, wide look in 24" ovens!

OEB-5* Antique Copperlux

OEB-4* Satin Chrome


OEB-8* Porcelain Colors

*Large window and oven light, 100% automatic clock with 60-minute minder, or manual timer optional as desired. Specify.

Here's the wide, wide look with full-width doors and smart custom handles! Custom white titanium porcelain instrument panel with Chambers matching trim all around the panel. Here are all Chambers

basic deluxe features: Same huge easy-to-clean oven . . . same deluxe oven thermostat with superfast preheat and precision control. Thermostat signal light. Same huge two-piece porcelain broiler pan and shield. Choose optional features you prefer: 100% automatic clock, manual 60-minute minder with bell alarm, or huge nonfog window and oven light-or all three!

Easy to clean: All rack runners lift out, bake element lifts up, exposing perfectly smooth interiorno rough edges or screw heads.



SPECIFICATIONS—SINGLE OVENS

Especially designed to use all space in a 24" cabinet. Simplest to clean, too: All racks and rack runners snap out, bake elements are hinged to lift up, exposing perfectly smooth gray titanium porcelain interior.

WATTAGE: 5300 AMPS: 25 RANGE CONNECTS AT TOP ON CENTER LINE

MBERS QUALITY!"

e:Chromerackrunout leaving smooth edges. No o roy wer bake eads lift up to clean

capacity upper lolds largest roastoven rack posi-Jpper oven bake 2300 watts, broil 3000 watts. Lower 00 watts. Amps: 31.

nonspill oven th backguard. Canaccidentally pulled

broiling with large e porcelain broiler shield.

"Wide Look" Double Oven

OEB2-5* Antique Copperlux


OEB2-4* Satin Chrome

OEB2-8* Porcelain Colors

*Optional features: Window and oven light, automatic clock with minute minder, or manual 60minute minder. Specify.


Here's the dramatic wide look in a 24" oven! All Chambers quality features: Huge upper oven with high-style white porcelain control panel, full-width doors, same roomy easy-to-clean interior-plus Chambers deluxe finishes inside and out. Two quality thermostats and signal lights, with super-fast preheat in fully automatic upper oven, Combination electric clock and 60minute bell alarm.

Size over-all: 23 1/8" wide x 39 1/8" high. CUTOUT: 22" wide x 38" high x 23 1/8" deep.



OEB2-5CTW With optional features

SPECIFICATIONS ALL DOUBLE OVENS.



OVEN IN 24" CABINET! Especially designed to use all space in a 24" cabinet, main oven is 5580 cubic inches: 18" wide x 20" deep x 15.5" high. Simplest to clean, too: All racks and rack runners snap out, bake elements are hinged to lift up, exposing perfectly smooth gray titanium porcelain interior.

ROTISSERIE Model ROT-41

Exclusive new homemaker-tested design: Rotisserie frame and spit rest snugly on broiler pan. Simply pull out broiler pan to carry entire unit! Broiler pan catches juices, saves cleanup. Rotisserie switch and signal light on deluxe models.

DELUXE "DROP-IN" SURFACE RANGES


33" Surface Ranges

T1-33EH . . . with "Heat Miser," deluxe handles

T1-33E . . . 4 infinite elements, deluxe handles

TC33-E . . . standard handles

Only 3" deep shadow-thin design permits up to 6 sq ft drawer. Self-framing, deepsculptured deck protects adjacent surfaces from hot utensils. Two 6" and two 8" Super-Jet elements with *infinite* control settings—plus deluxe, thermostat "Heat Miser" on right front element of T1-33EH. Drops into 36" cabinet.




"Space-Saver" Drop-In Range



T1-21E

Top quality in a space-saving design! Deep sculptured deck protects adjacent surfaces from hot utensils. Three 6" and one 8" Jet-Speed elements with seven speeds. Smart instrument panel easily read across room. Fits 24" cabinet. Porcelain range box-easy to clean and keep clean!

SPECIFICATIONS



Rim-Type 33" Drop-In




TOR-33EH . . . with "Heat Miser" deluxe controls

TOR-33E . . . standard controls

Only 3" deep-shadow-thin design permits six square feet of drawer below. Rim-type, with deck flush with countertop. Chrome trim is waterproof all around. Two 6" and two 8" Super Jet elements swing up for easy cleaning. Porcelain inner range box for easy cleaning. Deluxe thermostat "Heat Miser" on right front element of TOR-33EH.

SPECIFICATIONS:



For the HEART of Family Living . . .

Chambers

... to broil a better steak

Here's the only "In-A-Top" all-electric broiler and griddle . . . smokeless man-size broiler rises counter-high at a flick of your wrist . . .



All Front Controls • Fingertip Operation
Satin Chrome Top Decks

Installs on 42" wide, 28" high base cabinet


Over-all size: 42" wide, 25" deep, 8" high

You'll never stoop to broil again . . . smokeless thermostat-controlled electric broiling . . . counter-high! Perfect temperature control of griddle . . . counter-high! This is the only broiler wherein you never touch a hot rack from start to finish—and you can serve direct to table in the attractive "sizzling platter." Easy to clean and keep clean! Matched instrument panel, infinite heat settings on two 1250-watt elements, one 2100

watt and one 2100 thermostat "Heat Miser" on right front element. Antique Copperlux front panels, 4" back-splash and right or left side panels optional. Specify. Over-all size: 42" wide x 8" high x 25" deep. Unit mounts on 42" x 28" high cabinet. Recommended installation: Shim base to 28\%" to elevate deck to 36\%" for neat joint with counter. (Note: When TO-42 is so installed, recommend matching Imperial Oven cutout begin 29\%" from floor.) Total wattage: 9300.

MODEL TO-42C "Contempra"— Identical with TO-42E except with live-flame broiler. Total wattage: 6700. Amps: 31

SPECIFICATIONS



TO-42E TOTAL WATTAGE: 9300 AMPS: 43



All Chambers electric ovens and surface ranges operate on 120/240 volt AC threewire electrical service.

BUILT-INS CO., Arlington Heights, Illinois

hambers

for those few

... who demand excellence of craftsmanship with cooking performance beyond compare . . . we here present ovens and ranges whose achievements you can hardly believe without a demonstration . . . a new and finer concept from

Built-ins

COOK WITH THE Electricity TURNED

imbers Built-ins

What do you want in an oven? Perfection in baking? . . . in roasting? . . . in broiling and grilling? . . . Do you want completely automatic performance? Then read on! . . . Remember first: you may cook as you have always cooked with joyful results in these wonderful ovens. But you can also do much, much more . . . These are the only ovens which finish a full hour's cooking with only 20 minutes of electricity . . . these are the only ovens which finish a complete meal, with foods of different cooking times—automatically, with the electricity turned



Chambers built-in appliances.

SPECIFICATIONS

off . . . these are the only ovens which finish your complete meal while you're away, keep it hot until you arrive with the guests, and let you serve one minute later . . . these are the only ovens which defrost frozen foods, start them cooking with a few minutes fuel, finish cooking while you're away, then keep them hot indefinitely—all automatically . . . these ovens are engineered like no others in the world today . . . With Chambers retained-heat automatic cooking you discover a world of kitchen freedom you never thought possible. For proof, we ask that you see a demonstration—or simply ask any user of these Chambers ovens!

Here's the finest in 50 years from Chambers craftsmen . . Luxurious styling, superb performance! Each is quality-matched to all Chambers Refrigerator-Freezers, Dishwasher-Dryers, Ventilating Hoods, Disposers.




Conversat

REASON: ... these ovens alone defrost frozen turned off, then keep them hot will ye

New Imperial Twins

Model OEO-42 Satin Chrome Model OEO-52 Antique Copperlux Model OEO-82 Porcelain Colors




These ovens were planned and produced with one purpose: to accomplish the finest cooking possible with no attention from the homemaker after the first few minutes—and with results to please the most exacting gourmet . . . Each oven is engineered to hold all heat possible inside the oven: custom-ground castings form a perfect seal around each door . . . a unique latch holds heat inside — and 47 pounds of superior insulation (three times that of most other ovens) make it the "coolest cooking" ever.

Each oven is complete, with 100% automatic clock control, automatic appliance outlet, pushbutton oven light, rotisserie, and special "Keep Warm" control . . . Each oven broils smokelessly with the oven door closed . . . It's simple to operate and easy to clean: side racks lift out leaving smooth interior exposed . . . Once you see and understand their multiple features, you'll agree that no paragraph can cover their performance and labor-saving features.

EACH OVEN DOES A FULL MEAL FOR 12-20 . . . WITH NO POTWATCHING . . .

Use any cookbook with perfect results—or step up to time and labor-saving Chambers automatic retained heat. This complete meal was started with a few minutes electricity, finished cooking on the heat retained in the oven—and kept warm until time to serve. Arrive with your guests and serve the meal hot from the oven! And you broil smokelessly with the door closed.



All New! In-A-Wall "IMPERIAL TWINS"

Twins may be built into any 54" Oven Cabinet (or 2–27" oven cabinets) on simple 2" x 4" framing to support 500 lbs. Access panel should be provided in front or rear of installation. Twin oven size: 50 3/4" wide x 28 5%" high. CUTOUT48 5%" wide x 263/4" high x 24" deep. Wattage Each Oven: 3000-watt broil, 2000-watt bake. Total Twin Ovens: 10000-watts. (120-240 Volt AC, Single Phase 3-wire electric service) Listed for Reexamination Service by Underwriter's Laboratories. wattage: 10000 Amps: 46



tion leces!

n foods, finish cooking with the fuel

ready . . . all automatically . . .

Imperial Single

Model OEO-4 Satin Chrome Model OEO-5 Antique Copperlux Model OEO-8 Porcelain Colors

Acclaimed the "finest" by expert chefs and homemakers the world over, this identical single version of Chambers Imperial Twins will easily accommodate the average family. Deep-sculptured frame and instrument panel match all other Chambers built-ins. 100% automatic clock control and appliance outlet, pushbutton rotisserie, oven light, "Keep Warm" controls. Perfect "Uni-Temp" baking and roasting, plus smokeless broiling with the oven door closed . . . It, too, finishes a complete meal with foods of different cooking times — automatically while you're away . . . This oven will serve up to 20 people with minimum effort and perfect results . . . Because of its many wonderful features, we suggest that you see and understand the qualities of this oven firsthand.



Single "Stack-On" Retained-Heat Electric Oven

Oven sits on a cabinet 24" wide, 28" high. Regular 30" wall cabinet drops down on insulated top, creating "built-in" look at low, low cost.




OE-4 Satin Chrome OE-5 Antique Copperlux

Compare This Chambers Retained-Heat Construction With Any Other Oven!

1: Automatic Clock Control on Imperial Ovens. One-step control on other models for entire cooking operation.

2: Easy-Clean Oven Racks: Non-tip, nonspill, with safety backguard. Side runners lift-out.

3: Big 3-Section Broiler: Eliminate smoke when broiling with oven door closed.



4: Precision-Fitted Door and Frame: Only Chambers Deluxe Ovens have precision cast-iron oven door seal. Holds heat in.


5: Plunger Door Seal: Only Chambers has this commercial-type latch: seals heat in.

6: Super-Insulated . . . for Cooler Cooking: Pounds more insulation than any other. Holds heat in.

7: Fast 3000 Watt Broil Element: Tubular, with no coils exposed. 8: Stainless Steel Heat Reflector: Mirror-polished, for perfect broiling, and "Uni-Temp" baking.

9: 2000-Watt Bake Element: Tubular, removable for cleaning. Operates with broil element for perfect baking!


10: Removable Control Panel: All normal service accessible from front.



The most automatic oven ever built! Be away from your kitchen all day...arrive with guests and serve a full meal...straight from the oven!

EASY IN-A-WALL INSTALLATION

Single Imperial Oven installs in wall or 27" oven cabinet, with framing to support 250 lbs. Provide access panel at front or rear of installation for connection. Broil: 3000-watts, Bake: 2000-watts. Overall Size: 26¾" wide x 28¾" high. CUTOUT: 24¾" wide x 26¾" high. Shipping Weight 225 lbs. Start cutout 27" from floor. (For installation beside Model TO-42 broiler-griddle, see details on page 4.)



OE-5 Copperlux OE-4 Satin Chrome Wattage: 5000

Amps: 23

A new high in gourmet performance! Cooks a complete meal with only 30 minutes of current, finishing automatically while you're away. Simple one-knob electric clock shutoff. Broils with doors closed — smokelessly! Broiling: 3000 watts, Baking: 2000 watts. Shipping weight: 225 lbs.


....to broil a better steak



You'll never stoop to broil again . . . Smokeless thermostat-controlled electric broiling . . . counter-high! Perfect temperature control of griddle . . . counter-high! This is the only broiler wherein you never touch a hot rack from start to finish—and you can serve direct to table in the attractive "sizzling platter" . . . Easy to clean and keep clean! Matched instrument panel, infinite heat settings on two 1500-watt elements, one 2100-watt and one 2100 thermostat "Heat Miser" on right front element . . . 4" back-splash and right or left side panels optional. Specify. Overall size: 42" wide X 8" high X 25" deep. Unit mounts on 42" x 28" high cabinet. Recommended installation: Shim base to 28 %" to elevate deck to 36 %" for neat joint with counter. (Note: When TO-42 is so installed, recommend matching Imperial Oven Cutout begin 27 ¼" from floor) . . . Total Wattage: 9300. Shipping Weight: 165 lbs.

MODEL TO-42C "Contempra" — Identical with TO-42E except with live-flame broiler. Total Wattage: 6700 Amps: 31

SPECIFICATIONS




SHADOW-THIN 33" RANGE

T1-33EH—With "Heat-Miser"
T1-33E—Without "Heat-Miser"



COLORS TOO! Drop-in Tops come in Satin Chrome, Coppertone, Pastels of Pink, Yellow, or Turquoise

New, Shadow-Thin styling... Exclusive, deep-sculptured, elevated Satın Chrome deck... Only 3" below top permits 6 sq. ft. drawer below . . . drops into 36" cabinet.



RIM-TYPE 33" Range
TOR-33EH

"B" 1/3" Min. to
Nearest Vert. Wall

34 1/4"

Amps: 31

Form ERH-101

hambers BUILT-INS CO.

Chicago 35 · III.


A Division Of Chambers Corp.

In Keeping with Chambers Policy of Continuous Improvement, Models and Specifications are Subject to Change Without Notice Litho U.S.A.

For the HEART of Family Living . . .

Chambers

Matched Custom and Deluxe Gas Ovens and Surface Ranges*





Your Kitchen Plans Deserve the Finest . . .



SINCE 1910... the most honored name in America's finest kitchens.

CUSTOM-MATCHED DESIGNS, FINISHES AND COLORS . . .

All Chambers Built-ins match not only in finishes and colors, but in frames,trim,control panels, and accessory detail. Choice of two deluxe finishes, four colors:

Antique Copperlux: Lustrous hand-textured finish especially developed by Chambers, harmonizes with natural wood. Nine separate operations lend rich depth, durability. Won't crack, craze, tarnish. Cleans with damp cloth.

Satin Chrome: Fine-grained satin finish, famous for its sheen and durability. Easy to clean.

Architectural Porcelain Colors: Chambers deep-fired colors hold their brightness forever, clean like china. Choice of Decorator White, Turquoise, Pink, or Yellow in ovens and surface ranges. Coppertone porcelain matches Antique Copperlux, comes in drop-in surface ranges only.

*Chambers Imperial Retained-Heat Ovens described in separate specifications, "Cook with the fuel turned off."

SPECIFICATIONS

The finest from Chambers craftsmen; a size and model for every kitchen plan! Luxurious styling, superb performance, quality-designed in lustrous finishes to match all Chambers Built-ins: refrigerator-freezers, dishwasher-dryers, ventilating hoods, disposers. Years from now, you'll be proud you chose Chambers!



Model OGV1-5A1R

x 23 1/2" deep.

holds largest domestic roasters. Convenient rotisserie, switch,

and light. Huge 2-piece porcelain broiler. Easy-clean interiors.

Size over-all: 23 1/8" wide x 39 1/8" high. CUTOUT: 22" wide x 38" high

Guide

DELUXE "OVERSIZE" GAS OVENS

OGV1-5A1R **Antique Copperlux**

OGV1-4A1R Satin Chrome

OGV1-8A1R

Porcelain Colors

100% automatic Roast Guide clock control, 60-minute timer. Deluxe Lo-Temp Flame-Master thermostat automatically holds food serving hot! Deluxe satin picture frame around oven and doors, with deep-dimension control panel. Automatic clock-controlled outlet makes any electric appliance automatic! Smart tubular door handle grips over or under. Huge nonfog oven window, light, and switch. Tremendous oven capacityAutomatic Roast Guide on deluxe models. Fully automatic clock control. 60-minute timer rings until stopped. Deluxe Flame-Master Lo-Temp thermostat automatically keeps food hot 'til serving. Sculptured satin knob on deluxe models.

Deluxe 3-dimension eye-level control panel. Sculptured picture frame around oven and doors on deluxe models. Wide doors on custom models.

Huge capacity oven. Largest interior area in 24" space! Silicon rubber door seal. Oven and broiler burner: 17,500 Btu.

Doors open level with counter: special exclusive hinges open door flat for level support of hot roasters, etc.



Huge, smokeless broiler compartment, two-piece porcelain broiler.

w des broiler food on s unit. Pan Rotisserie (deluxe mo Big, nonf dow with on deluxe r Smooth, teriors: si perfectly titanium gi Cutouts ir other com Nontilt, n with backg accidentall

Equipped

Chambers Deluxe AUTOMATIC ROAST GUIDE

The ultimate in roasting perfection! Automatically transfers all settings for any weight roast, cooks the roast as you wish—then keeps it hot 'til you serve! This "automatic cookbook" is the greatest advance in automatic timed cooking in 20 years. Two simple settings.



MATCHED "CUSTOM" GAS OVENS

OGB-5 Antique Copperlux

OGB-4 Satin Chrome

OGB-8 Porcelain Colors

Choice of optional features: huge window and oven light, combination electric clock and four-hour timer, or manual timer. Specify.

Here's the wide, wide look in a 24" gas oven! Lo-Temp Flame-Master oven thermostat holds oven at "keep-hot" 140° temperature 'til you serve. White porcelain control panel with standard accessories and deluxe three-dimensional trim. Full-width door panels in Chambers matched finishes or colors. Easy-to-clean oven features. Huge oven is identical in construction with Chambers' deluxe models.

Oversize smokeless broiler compartment with quality two-piece porcelain broiler and shield.

Basic ovens are solid door models. Add the deluxe features you wish. Large nonfog window and light, combination electric clock with four-hour timer and alarm, or 60-minute manual timer with bell alarm.

Cutouts are interchangeable with other comparable Chambers models: over-all size: $23\frac{1}{8}$ " wide x $39\frac{1}{8}$ " high. CUTOUT: 22" wide x 38" high x $23\frac{1}{2}$ " deep.



Model OGB-5CTW

with optional window and light, automatic clock and 60-minute timer.


All-New 33" **Drop-in Range**

New shadow-thin design o allows six square feet di Elevated deck protects adj utensils. All-porcelain in drip rings. Drops into any **Cutout interchangeable**

T1-33GSH-Super deluxe "Super-Daisy" simmer act thermostat "Heat Miser" o Deluxe sculptured controls

T1-33GS-Four new "Si burners.

T1-33GH—Three high-sp burners and thermostat "H T1-33G-Four high-speed



- Fit 24" Cabinet

signatisserie: rests Pan, rack, and spit removable as one no catches drippings. e, switch, signal light nodels).

oven light and switch models.

, easy-to-clean inside runners snap out, y smooth interior of gray porcelain.

interchangeable with parable models.

nonspill oven racks guard, can't pull out lly.

for outside venting.

OGV1-51 Antique Copperlux OGV1-41 Satin Chrome OGV1-81 Porcelain Colors


A tremendous value in a quality package! Smart three-dimension glass control panel, combination electric clock with four-hour timer and bell alarm. Deluxe Lo-Temp Flame-Master thermostat with sculptured satin control knob. Smart tubular door handle grips over or under. Huge nonfog window, oven light, switch. Same huge oven capacity with all convenience features. Tremendous broil-



Model OGV1-51

ing space with two-piece porcelain broiler. Convenient electrical outlet. Optional rotisserie can be quickly installed without removing oven from cabinet. Rotis by inserting spit in receptacle. Chambers deluxe quality throughout. Size over-all: $23\,\%$ wide x $39\,\%$ high. CUTOUT: 22 wide x 38 high x $23\,\%$ deep.

SPECIFICATIONS ALL OVENS




PROVIDE 110 VOLT RECEPTACLE
AT TOP ON CENTER LINE

TRULY CONVENIENT ROTISSERIE Model ROT-41


Exclusive new homemaker-tested design: Rotisserie frame and spit rest snugly on broiler pan. Simply pull out broiler pan to carry entire unit! Broiler pan catches juices, saves cleanup. Rotisserie switch and signal light on deluxe models.

APPROVED — approved for all gases tral, Manufactured L. P. Bottled or tank.



On all Chambers Deluxe and custom gas ovens. Lo-Temp controls oven temperature down to a precise 140°. Keeps the meal hot 'til serving time—with no fear of overcooking!






only 3" below counter rawer space below, jacent surfaces from ner range box and 36" counter.

with Model T1-33E.

e, with three new ion burners and one on right front burner.

uper-Daisy" simmer

eed aluminum cast eat Miser." aluminum burners.



NEW! Chambers "Super-Daisy"* Burners

Developed through years of research! Each Chambers "Super-Daisy" is actually four burners in one. Unlike large circular burners, there is no hot spot on the outside with a cold spot inside—but perfect heat distribution with all flame directed to the pan bottom. Each "Super-Daisy" burner may be adjusted to "simmer" or "Keep-Warm" to your wishes!

*Each flame forms a daisy-like pattern.

Choice of Colors in Drop-in Ranges

Drop-in surface ranges are available in Satin Chrome and titanium porcelain colors: Decorator White, Turquoise, Pink, Yellow, and Coppertone to match Copperlux ovens. Specify.




"Space-Saver" Drop-in Range

Fits only 21" counter space!

T1-21GH—Three high-speed aluminum burners and thermostat "Heat Miser" on right front burner.
T1-21G—Four high-speed aluminum burners.
Cutout interchangeable with Model T1-21E

Super quality and capacity in only 21" counter space! Sculptured deck elevates hot pans slightly, protecting nearby surfaces. High-speed gas burners have Hi-Lo-Click simmer valves. Range box interior is *porcelain* for easy cleaning. Drops into any 24" cabinet.



For the HEART of Family Living . . .

Chambers

... to broil a better steak

Here's the only "In-A-Top" gas broiler and griddle . . . man-size smokeless broiler rises counter-high at a flick of your wrist . . .

Model TO-42G

All Front Controls • Fingertip Operation
Satin Chrome Top Decks

Installs on 42" wide, 28" high base cabinet


Over-all size: 42" wide, 25" deep, 8" high

You'll never stoop to broil again...smokeless broiling and grilling, counter-high! This is the only broiler wherein you never touch a hot rack from start to finish—you can serve direct to table in the attractive aluminum broiler "sizzling platter." Easy to clean and keep clean! This unique broiler and griddle features matched instrument panel, three

oversize "Super-Daisy" speed burners, with thermostat "Heat Miser" on right front burner . . . Antique Copperlux front panel, 4" back-splash and right or left side panels optional.

INSTALLS ON 42" CABINET Over-all size: 42" wide x 8" high x 25" deep. Unit mounts on 42" x 28" high cabinet. Recommended installation. Shim base to $28\frac{3}{8}$ " to elevate deck to $36\frac{3}{8}$ " for neat joint with counter. (Note: When TO-42 is so installed, recommend matching Imperial Oven cutout begin $29\frac{1}{4}$ " from floor.) Shipping weight: 165 lb.

SPECIFICATIONS





A. G. A. APPROVED approved for all gases . . . Natural, Manufactured L. P. Bottled or tank.

BUILT-INS CO., Arlington Heights, Illinois A Division of Chambers Corp.

for those few

performance beyond compare . . . we here present ovens and ranges whose achievements you can hardly believe without a demonstration . . . a new and finer concept from

Imperial

Built-ins

Chambers Built-ins

What do you want in an oven? Perfection in baking? . . . in roasting? . . . in grilling? Do you want completely automatic performance? Then read on! . . . Remember first: you may cook as you have always cooked with joyful results in these wonderful ovens. But you can also do much, much more . . . These are the only ovens which finish a full hour's cooking with only 10 minutes of gas after a few minutes preheat . . . these are the only ovens which finish a com-

COOK WITH THE

TURNED %

Chambers Imperial Ovens green

Custom-matched in classic design, colors, and trim to other Chambers built-in appliances.

SPECIFICATIONS

plete meal, with foods of different cooking times — automatically, with the gas turned off . . . these are the only ovens which let you grill juicy steaks and chops smokelessly on a huge oven platter and serve the attractive platter sizzling to the table . . . these ovens are engineered like no others in the world today . . . With Chambers retained heat cooking, you discover a world of kitchen freedom you never thought possible.


Here's the finest in 50 years from Chambers craftsmen . . . Luxurious styling, superb performance! Each is quality-matched to all Chambers Refrigerator-Freezers, Dishwasher-Dryers, Ventilating Hoods, Disposers.



Conversat

REASON: ... these ovens finish complete means - the fuel turned off, then keep them ho

New Imperial Twins




Model OGAO-42 Satin Chrome Model OGAO-52 Antique Copperlux Model OGAO-82 Porcelain Colors

These ovens were planned and produced with one purpose: to accomplish the finest cooking possible with no attention from the homemaker after the first few minutes—and with results to please the most exacting gourmet . . . Each oven is engineered to hold all heat possible inside the oven: custom-ground castings form a perfect seal around each door . . . a unique latch holds heat inside—and 47 pounds of superior insulation (three times that of most other ovens) make it the "coolest cooking" ever.

Each oven is complete with single one-step control, electric clock with automatic appliance outlet, pushbutton oven light, and special "Keep Warm" thermostat . . . Each oven grills steaks and chops smokelessly with the oven door closed . . . Heavy attractive cast aluminum oven grill platter furnished. It's simple to operate and easy to clean: side racks lift out leaving smooth interior exposed . . . See and understand their multiple features; then you'll agree that no paragraph can cover their performance and labor-saving features.

EACH OVEN DOES A FULL MEAL FOR 12-20 . . . WITH NO POTWATCHING . . .

Use any cookbook with perfect results—or step up to time and labor-saving Chambers automatic retained heat. This complete 3-hour meal was started with only 30 minutes gas-on, finished cooking on the heat retained in the oven—and kept warm until time to serve. Arrive with your guests and serve-the meal hot from the oven! And you oven-grill smokelessly with the door closed.



ion Pieces

foods of different cooking times — with

Imperial Single

Model OGAO-4 Satin Chrome
Model OGAO-5 Antique Copperlux

Model OGAO-8 Porcelain Colors

Acclaimed "finest" by expert chefs and homemakers the world over, this identical single version of Chambers Imperial Twins easily accommodates the average family. Deep-sculptured frame and instrument panel match all other Chambers built-ins. 100% automatic clock and appliance outlet, pushbutton oven light, "Keep Warm". Smokeless grilling, with large satin sizzling serving platter furnished . . . It, too, finishes a complete meal with foods of different cooking times—automatically while you're away . . . This oven will serve up to 20 people with minimum effort and perfect results . . . Because of its many wonderful features, we recommend that you see and understand the qualities of this oven firsthand.



Inexpensive "Stack-on" Oven

Model OGA-4 Satin Chrome Model OGA-5 Antique Copperlux


Oven sits on a cabinet 24" wide, 28" high. Regular 30" wall cabinet drops down on insulated top creating shelf and "built-in" look . . . quick, easy, low-cost installation.

Overall Size: 24" Wide x 26" High



Compare Chambers Retained-Heat Construction With Any Other Oven!


- 1: Super-Insulated . . . Cooler Cooking! 47 pounds—more insulation than any other gas oven! Seals heat in.
- 2: Concealed Oven Vent:
 Requires no expensive
 outside venting! Heavily
 baffled top section directs heat away from
 cabinets while fuel is on
 no heat into kitchen.




A.G.A. Approved — For all gases . .

- 3: Precision-Fitted Door and Frame: Only Chambers builds this precision cast-iron oven door seal. Prevents heat loss around oven door; keeps your kitchen cooler.
- 4: Plunger Door Seal: Only Chambers has this commercial-type latch.
- 5: Easy-Clean Oven and Basket Racks. Non-tip, non-spill racks with safety backguard. Side runners lift out for easy cleaning of Chambers gray all-porcelain interior. Racks level quickly for perfect baking.
- 6: Easy-Action Door: Heavy door opens and closes at a touch. Counterbalanced door, springs away from heat zone.
- 7: Exclusive Vent and Valve Control: Only Chambers seals all heat in the oven! Vents close when gas is turned off!
- 8: Exclusive Heavy Baffle Plate: Distributes heat evenly.
- 9: Jet-Speed Cast Iron Oven Burner. Maintains perfect temperature control to 550°.

IMPERIAL "In-A-Wall" Gas Oven



Single Imperial Oven installs in wall or 27" oven cabinet, with framing to support 250 lbs. Provide access panel at front or rear of installation for connection. Overall Size: 26¾" wide x 28¾" high. CUTOUT: 24¾" wide x 26¾" high. Shipping Weight 225 lbs. Start cutout 27" from floor. (For installation beside Model TO-42 broiler-griddle see details on page 4.)




OGA-4—Satin Chrome
OGA-5—Antique Copperlux



You'll never stoop to broil again . . . Smokeless broiling and grilling, counterhigh! This is the only broiler wherein you hever touch a hot rack from start to finish — you can serve direct to table in the attractive aluminum broiler "sizzling platter" . . . Easy to clean and keep clean! This unique broiler and griddle features matched instrument panel, three oversize "Super-Daisy" speed burners, with thermostat "Heat Miser" on right front burner . . . 4" back-splash and right or left side panels optional.

INSTALLS ON 42" CABINET Overall size: 42" wide x 8" high x 25" deep. Unit mounts on 42" x 28" high cabinet. Recommended installation Shim base to 28 %" to elevate deck to 36 % for neat joint with counter. (Note: When TO-42 is so installed, recommend matching Imperial Oven Cutout begin 27 1/4" from floor) . . . Shipping Weight: 165 lbs.




SHADOW-THIN 33" RANGE



COLORS TOO! Drop-in Tops come in Satin Chrome, Coppertone, Pastels of Pink, Yellow, or Turquoise New, Shadow-Thin styling . . . exclusive, deep sculptured, elevated Satin Chrome Deck . . . "B" 3" Min protects adjacent surfaces and elevates utensils. Easy-to-read top controls . . . safe from toddlers fingers. All porcelain range box and drip-rings. Only 3" below counter top permits 6 sq. ft. drawer below...Drops into 36" cabinet.

T1-33G SH—3 Simmer-Center, Daisy Burners & "Heat Miser" T1-33G S—Identical, Except 4 Daisy Burners



Cutout Identical With Interchangeable Model T1-33EH

Chambers BUILT-INS CO. • 2012 North Harlem Ave., Chicago 35, Illinois

Division of Chambers Corp.





DELUXE)

Model HP "Provincial" Scalloped Edge

Blower-Powered Ventilating Hoods




Custom-Matched Finishes Matched to all other Chambers Built-ins! Choose from rich Antique Copperlux*, lustrous Stainless Steel, or any of Chambers easy-to-clean decorator colors in Chambers straight-edge hoods: Turquoise, Pink, Yellow, or Decorator White. All Chambers ventilating hoods clean quickly, easily with the swish of a damp cloth.

*Antique Copperlux—An exclusive Chambers development, harmonizes perfectly with natural wood finishes. Unique hand-brushed texture.

SPECIFICATIONS

Whisk kitchen heat, smoke, grease, and odors outside quickly, silently, *completely*, with a Chambers blower-powered deluxe ventilating hood. Extensive tests prove that centrifugal blower power is the only sure way to remove grease-laden smoke, heat, and odors from your kitchen *permanently*. Chambers deluxe centrifugal hoods and blowers actually *pull* smoke, grease, and odors from all over the kitchen and *push* them outside. For highest efficiency Chambers engineers recommend a twin-blower installation with dual-speed controls. Use single speed for ordinary venting, to conserve heat and air conditioning. Use double speed for emergency venting.

Exclusive Construction Features! The entire Chambers hood is die-cut, lock-formed, welded into one rigid piece for lifetime vibration-free operation.






BLOWER-POWERED VENTILATING DELUXE HOODS

The finest quality ventilating hood you can install in your kitchen. Custommatched to other Chambers built-in appliances. Exclusive die-formed canopy is lock-welded to form a solid vibrationfree unit. In rich Antique Copperlux, Stainless Steel, or Chambers decorator colors in straight-edge hoods: Turquoise, Pink, Yellow, or White. Choice of nine models.


Copperlux Provincial	Copperlux Contemporary*	Stainless Steel Contemporary*		
HP-30-5/30" wide	HC-30-5/30" wide	HC-30-4/30" wide		
HP-36-5/36" wide	HC-36-5/36" wide	HC-36-4/36" wide		
HP-42-5/42" wide	HC-42-5/42" wide	HC-42-4/42" wide		

All models 19-3/8" deep x 9-7/16" high. *Colors available in straight-edge (HC) hoods only. Back-splash panels: In all hood widths-24" high, in Stainless Steel or Copperlux. Splashes are easily mounted on back wall. Optional.




Vertical Vent

Cut 4" x 10-1/2" openings 1-3/8" from wall on center line in bottom, top, and shelves. Use standard 3-1/2" x 10" vent. Vent through roof, soffit, or side wall . . . using suitable damper and roof or wall cap.



Side-Wall Vent

Cut opening in bottom and back of cabinet for 3-1/2" x 10" duct . . . use 90° elbow, suitable wall cap, and damper to finish. 10" dimension is on center line for all types of cabinets.





Electrical

Run flexible conduit into cabinet area to reach cabinet bottom 1-3/8" out from wall and 6" to 7" left of center line. Wires may be connected in-side cabinet. Hood is prewired with switches in hous-ing. No wall switches required. 60 cycle, 115 volts, 3 amps.



Removable Filter

Permanent-type filter is housed in hinged holder for easy front removal.



Chambers


Space-Saver!

Blower mounts in hood below cabinet, exhausts through narrow flat duct, leaves front and both sides of cabinet clear for storage.



Easy Cleaning

Permanent-type filter catches smoke and grease . . . easily cleaned in hot water or dishwasher.



Powerful High-Efficiency Blowers

B-91—Single speed, two light receptacles.
B-92—Two speeds, two light receptacles.
Either blower can be used in all deluxe hoods.



SUPER-EXHAUST MITERED


VENTILATING

HOODS

Smart, crisply modern design with silent highspeed exhaust. Mitered hood is tightly lock-welded for lifetime vibration-free performance. Sends heat, odors, smoke outdoors, keeps your kitchen fresh and comfortable. Comes completely assembled, ready to install,


Silvertone
HFM-30-4/30" wide
HFM-36-4/36" wide
HFM-42-4/42" wide

All models 18 ½" deep x 5" high. Chambers Colors available at no extra cost. Specify. Back-splash panels in all widths and 24" high available for all hoods.




Vertical Vent

Cut 4" x 10-1/2" openings 1-1/2" from wall on center line in bottom, top, and shelves. Use standard 3-1/2" x 10" duct. Vent through roof, soffit, or side wall with suitable damper and roof or wall cap.




Side-Wall Vent

Cut opening in bottom and back of cabinet for 3-1/2" x 10" duct . . . use 90° elbow, suitable wall cap, and damper to finish. 10" dimension is on center line for all types of cabinets.



Space-Saving Feature!

Blower exhaust duct for hood below cabinet is narrow, flat. Front and sides of upper cabinet are clear and free for full use of available storage area.



SUPER-EXHAUST VENTILATING HOODS


Quiet, dependable super-exhaust fan removes smoke, odors from kitchen in a jiffy. Mounts flush with cabinets for built-in beauty. Back-splash panels in all hood widths, 24" high. Stainless Steel or Copperlux.

Heavy-duty fan and motor draw kitchen odors, smoke through easily cleaned grill and filter—force stale air outdoors swiftly, silently.

Rotary fan units for HF hoods-Shipped complete, ready to install. F-100 fan and grill only. F-101 fan, grill, and filter. F-102 fan, grill, filter, damper, and reducer.

Triple-Baked	Stainless
Copperlux	Steel
HF-30-5/30" wide	HF-30-4/30" wide
HF-36-5/36" wide	HF-36-4/36" wide
HF-42-5/42" wide	HF-42-4/42" wide

All models 19-3/8" deep x 9-7/16" high.







NEW


Super Exhaust Mitered Ventilating Hoods

SPECIFICATIONS

Add the smart, modern look to your kitchen with the crisp, clean lines of this new Chambers mitered ventilating hood. The perfect design for corner installations—protects adjacent cabinet doors. Sweeps smoke, odors, heat out of your kitchen in a jiffy. Smooth, silent operation.

Exclusive Chambers Construction Lockwelded mitered design assures a lifetime of vibrationfree operation. Hood and powerful rotary fan unit come assembled complete, ready to install in minutes.

Chambers Decorator Finishes Your choice of lustrous Antique Copperlux, gleaming Silvertone, or any of Chambers deluxe decorator colors: Turquoise, Pink, Yellow, or White—to match your kitchen decor.





BUILT-INS CO., P.O. Box 218, Arlington Heights, Illinois DIVISION OF CHAMBERS CORP.



Custom-Matched Deluxe Automatic Dishwashers Specifications

Two power washes and four power rinses... plus power drying for really clean, really sanitary performance


Completely new . . . completely automatic! No prerinsing dishes . . . just load, set, and walk away! New automatic dual-detergent cup lets you completely wash dishes twice . . . four separate rinses . . . sparkling sanitized drying! Store 12 full place settings all day . . . wash at one time!

New, luxurious custom-matched Chambers finishes

Perfectly matched to all Chambers built-ins with custom-keyed handles, dials, and accessories. Choose from:

- · Rich, lustrous Antique Copperlux
- · Gleaming Silver Satin Chrome
- Decorator-matched custom colors: White, Pink, Yellow, or Turquoise






Compare These Quality Chambers Features

- NEW "DECORATOR DOOR" ... Install panels to match your kitchen decor. Takes material 1/4" thickness or less, 1/8" recommended. Optional, specify.
- COMPLETELY MATCHED DESIGN... In finishes, styling, handles, trim and accessories. Chambers dishwasher gives the "custom-design" look without the custom price!
- · CHOICE OF WASH-RINSE-DRY CYCLES . . . Choose the cycle to fit your situation! Prerinse and wash later! Turn dial . . . prewash heavy soil and wash later with full load. Set dial ... warm plates only! A choice of six different wash-rinse-dry cycles!
- · EASY FRONT LOADING . . . Saves counter space. Trays glide out on nylon bearings for quick, easy loading.
- WONDERFUL ADD-A-DISH . . . Lets you open the door and add that forgotten dish with no loss of hot water, detergent or cycle operation!
- · STEAM-FREE "COOL-WALL" DRY-ING . . . Exclusive valve feature eliminates steam in kitchen. Door does not pop open, throwing steam in your face!
- AUTOMATIC DUAL-DETERGENT DISPENSER . . . Use one half for single wash cycle . . . use both dispenser units for heavily soiled dishes needing two wash cycles.
- · "CYCLONIC ACTION" WATER SPRAY . . . Powerful impeller drives scalding water against every dish at the rate of 2520 gallons per wash cycle. Dishes come out sparkling clean!
- · SIMPLE ONE-STEP OPERATION . . . Simply dial your cycle, turn handle, and dishwashing is done!
- 12 TABLE SETTING CAPACITY . . . Holds and stores a full day's dishes.
- DOORS INSULATED . . . for quieter, smoother operation.
- · GUARD YOUR HEALTH ... Chambers uses water too hot for human hands, too hot for most bacteria!

Chambers

Custom-Matched Deluxe Automatic Dishwashers



Deluxe Under-Counter Models

DPD-320—"Imperial" pushbutton pump*
DGS-300—Standard gravity* DPS-310—Standard pump*
*DWKT "Decorator Door" Kit. Optional, specify.

Look at these Chambers features!

- SUPER-HEATED DRYING . . . Big 1000-watt element quickly dries and sanitizes shining clean!
 DURABLE HIGH-VELOCITY IMPELLER . . . Throws fine spray
- DURABLE HIGH-VELOCITY IMPELLER...Throws fine spray of super-heated water against dishes at rate of 2520 gallons per cycle!
- PERFECT FOR FINE CHINA . . . Does fine porcelain-glazed china beautifully with far less chance of breakage, too!
- AUTOMATIC DOOR CLOSING . . . Door closes automatically when the lower rack is rolled into dishwasher!
- · ONE-YEAR WARRANTY . . . On materials and workmanship.

CYCLE TIMES	Min.	CYCLE TIMES	Min.
Morning dishes, prerins Pot and pan prewash. Plate warm	16	Rinse dry Normal soil Heavy soil	36
MECHANICAL SE	ECIFIC	CATIONS	

MECHANICAL SPECIFIC	CATIONS
Height34-1/2"	Depth24-1/16"
Width24"	Shipping Weight115 lb
Motor1/3 hp perman	ently oiled 115 volt, 60 cycle, a-c
Heater115 volt, 1000 watts	Total rated load15 amps
Water consumption	
Normal soil (single cycle)	7.0 gal.
Heavy soil (double cycle)	10.5 gal.




Easily loaded, fully accessible racks

slide out at finger touch. Fits under any 36" counter, takes only 24" in width. Open door needs only 19" clearance.



Exclusive New "Swirl-A-Tray"

Upper rack rotates continuously through sprays of scalding water. Every dish is sparkling, sanitized, super-clean! Adjusts 7" up or down for tall glasses or large plates in lower section.







Decorator Door Kit optional. 23' Recommended material thickness 1/8" but not over 1/4".








Pump Drain Installation




WATER INLET CONNECTIONS . . . 3/8" standard pipe. Drain connections are 1-1/2" "P" type if drain runs through wall. DISPOSER INSTALLATION . . . Disposer can be used with pump drain units. (Drain empties into disposer, meets codes.)



*Dimensions marked are from rear of dishwasher. If set out from wall to match cabinet fronts, add the distance to marked dimensions.




BUILT-INS CO., P. O. Box 218, Arlington Heights, Illinois



Thrill to the breathtaking beauty, the outstanding performance of Chambers built-in refrigerator-freezers. Decorator-styled to match perfectly with Chambers gas or electric ovens... surface ranges... dishwashers... ventilating hoods... disposers. Capacious family-size RF1-190 Refrigerator-Freezer shown here with Chambers built-in oven, drop-in surface range, ventilating hood, and dishwasher—all in matched Chambers finishes.

Chambers Unique Refrigeration System

With Chambers "Uni-Temp" refrigeration, moist-cold air gently circulates up, out, and down to every corner of your refrigerator. Result—your Chambers maintains uniform temperature at all times—from top to bottom. Foods retain all their appetizing flavor.



Chambers "UNI-TEMP" Diffuser




Chambers Automatic Ice Maker


Delivers a continuous supply of , ice cubes—automatically. No cube trays to fill. Makes and stores half-circles of ice—equal to 400 cubes daily. Ice maker starts when cubes are removed from tray, stops when bin is filled. Standard on deluxe refrigerator-freezers, optional on others.

Chambers

Custom-Matched Refrigerator-Freezers

The ultimate in matched kitchen luxury with truly built-in beauty. Designer doors with magnetic seals, sculptured top-to-bottom easy-grip Satin Chrome handles. Beautifully finished in rich lustrous Antique Copperlux . . . gleaming Stainless Steel . . . or any of Chambers custom-matched colors at no extra cost: Decorator White, Pink, Turquoise, or Yellow. Removable Decorator Door panels allow you to insert 1/8" thick panels of wood, leather, fabric to match your individual kitchen decor.





Truly Built-in

No costly special cabinets, Chambers units are self-supporting, self-framing. Simply plug into 115/60 a-c outlet. All service from front. Doors line up perfectly with front of 24" cabinets.

RF1-190 COMBINATION REFRIGERATOR-FREEZER

The ideal refrigerator-freezer for the average family—almost 19 cu ft of storage space in only 36" of wall space. Conveniently arranged with waist-high refrigerator compartment and spacious freezer unit below. Available in Antique Copperlux or Stainless Steel, as well as any Chambers colors: White, Pink, Yellow, Turquoise. Decorator Door lets you insert decorator panels of leather, plastic, wood—1/8" thickness.





UNDER-COUNTER ICE MAKER

Entirely automatic—makes and stores its own ice cubes—without a moment's attention! No messy water trays to fill...ice maker starts when cubes are removed from tray, stops when bin is filled. Produces half-circles, equal to 400 cubes, of ice daily (about 20 lb). Same smart built-in appearance as all Chambers matching appliances. Decorator Door lets you install fabric, wood, plastic panels 1/8" thick. All Chambers decorator color finishes available. Simple connection to 1/4" copper tube is all that is necessary.

UC1-300 Under-Counter Ice Maker



RF1-170 COMBINATION REFRIGERATOR-FREEZER

Custom-matched luxury, built-in beauty—yet priced to fit modest budgets. This handsome Chambers combination refrigerator-freezer gives you 16-1/2 cu ft of storage space, yet takes only 36" of wall space. Its 73" height is ideal for problem installations: low ceilings, soffits, under stairways, etc. Full Chambers quality inside and out, with separate freezer compartment that "quick-freezes" foods at zero or lower temperatures. Choose from Antique Copperlux or Stainless Steel. All other Chambers finishes also available: Turquoise, Yellow, Pink, or White. Decorator Door lets you insert wood, plastic, or leather decorator panels to suit your personal taste.


Compare these wonderful Chambers features!

- 1 Two separate systems—Each deluxe refrigerator-freezer combination is two entirely separate systems, with two compressors, two sets of controls. Provides perfect refrigeration and freezing with less wear.
- 2 Ideal modular dimensions— Combination deluxe refrigerator-freezers are 36" wide over-all, and 84" high . . . level with top line of cabinets!
- 3 Dust-free designer door and front—Flush-in-wall Chambers refrigerators catch no dust or dirt.
- 4 Self-venting—No expensive ducts.
- 5 Exclusive "Uni-Temp" system— Provides uniform temperature from top to bottom.
- 6 "Moist-cold" refrigeration—Same superior refrigeration used commercially . . . protects and freshens meats and vegetables longer.
- 7 Automatic defrosting—All refrigeration units defrost automatically!

- 8 Automatic ice maker—Delivers a continuous supply of ice. Makes and stores half-circles of ice, equal to 400 cubes, daily. No cube trays to fill—completely automatic.
- 9 Magnetic door closure—Full magnetic seal around three sides of each door. Positive silent closure, always.
- 10 High-fashion interiors—Classic white with gray anodized glide-out shelves. Interior finish is baked-on aluminum . . . rustproof, chip-proof, and easiest to clean!
- Huge refrigeration plate—Compare the size! Combined with the "UniTemp" system, assures uniform refrigeration temperature.
- 12 Egg basket and crispers—Egg basket holds two full cartons or three dozen eggs. Spacious crispers protect and freshen delicate vegetables.
- 13 Huge storage doors—Easy-reach storage with a place for everything.

- 14 Freezer units—Big-capacity door storage. All Chambers freezer units are especially designed to quick-freeze at 15° below zero . . . commercial freezing performance! Freezer coils lie beneath each shelf—directly below or above every package. Packages never touch coils—protects against "freezer burn." Quick-release ice-cube trays.
- 15 Automatic freezer defrost—Furnished in deluxe units, optional in others.
- 16 Sculptured top-to-bottom "family" handle—Grasps easily from either side! Graceful yet sturdy.
- 17 Tall bottle storage—Fortall storage "problems."
- 18 Butter and cheese keeper—Conveniently located.
- 19 Fruit basket—Handy tilt-out design.
- 20 Left or right hinge doors as you face unit. Specify.






One 115 V. 60 Cyl. Single PH. 15 Amp. Outlet or Junction Box


- *Automatic ice maker optional. Specify.
- **Includes automatic ice maker, automatic defrost, convenient lower swing-out shelf. Self-contained or remote installation. Remote installation easily made by qualified serviceman.

SPECIFICATIONS Series RF1-190* and RF1D-190** Combination Refrigerator-Freezer

Capacity Refrigerator Freezer	12. cu ft 6.5 cu ft
Dimensions Height Width Depth	84" 36" 24"
Exact Rough-in Width Height	35-1/2″ 83-3/4″
Horsepower Refrigerator Freezer	1/6 1/8
Shipping Weight	483 lb







A 1/4 Inch Copper Line Must be Provided in Compressor Compartment to Connect with Ice Maker Solenoid Valve.

One 115 Volt, 60 Cycle, Single Phase, 15 Amp. AC Wall Outlet or Junction Box Must be Provided in This Area.


SPECIFICATIONS Series UC1-300

Under-Counter Ice Maker

Olidor Codillor	Chack Counter for Walter			
Capacity	20 lb			
Dimensions Height Width Exact Rough-in	34-1/2″ 18″			
Width Height Depth	18″ 34-1/2″ 23″			
Horsepower	1/5			
Shipping Weight	150			



Interior of RF1-170 Refrigerator-Freezer



*Automatic ice maker optional. Specify.
Self-contained or re-

Self-contained or remote installation. Remoteinstallation easily made by qualified serviceman.

72¾" One 115 V. 60 Cyl. Single PH. 15 Amp. Outlet or Junction Box

2 UNITS SIDE BY SIDE. ROUGH-IN WIDTH: 71%"

SPECIFICATIONS Series RF1-170 Refrigerator-Freezer*

Tioning Craion-	1.100201
Capacity Refrigerator Freezer	11.7 cu ft 4.5 cu ft
Dimensions Height Width Depth	73″ 36″ 24″
Exact Rough-in Width Height	35-1/2″ 72-3/4″
Horsepower	1/4
Shipping Weight	435


QUALITY MATCHED BUILT-INS

LUXURIOUS "IMPERIAL" MATCHING REFRIGERATOR-FREEZER UNITS

The last word in sumptuous refrigeration and freezing for large families, major social occasions. A breathtaking sweep of built-in beauty—with 32 cu ft of storage capacity in just 72" of wall space! May be installed together or separately. All Chambers finishes available, also Decorator Door inserts.

SPECIFICATIONS "Imperial" Refrigerators / Freezers

	R1-180	F1-180* F1D-180**
Capacity Refrigerator Freezer	17 cu ft	14 cu ft
Dimensions Height Width Depth	73″ 36″ 24″	73" 36" 24"
Exact Rough-in Width Height	35-1/2″° 72-3/4″	35-1/2″° 72-3/4″
Horsepower Refrigerator Freezer	1/5	1/4
Shipping Weight Refrigerator Freezer	380	415



- *Automatic ice maker optional. Specify.
- **Includes automatic ice maker, automatic defrost, convenient lower swing-out shelf.
- °Rough-in width 71-1/2" when placed side by side.



R1-120 Refrigerator F1-120 Freezer

"Imperial" Refrigerator


and Freezer Combination



R1-120 F1-120**

"V.I.P." SERIES 120 COMBINATION REFRIGERATOR-FREEZER

A full 21 cu ft of storage, all conveniently waist-high—and in just 72" of wall space. May be installed separately. Available in all Chambers finishes and with Decorator Door insert panels.



SPECIFICATIONS "V.I.P." Twin

Refrigerators / Freezers

Capacity Refrigerator Freezer	12 cu ft	9.5 cu ft
Dimensions Height (Remote) Height (Self-Cont.) Width Depth	47-1/4" 58-1/4" 36" 24"	47-1/4" 58-1/4" 36" 24"
Exact Rough-in Width* Height (R) Height (SC)	35-1/2" 46-3/4" 57-3/4"	35-1/2" 46-3/4" 57-3/4"

*Rough-in width 71-1/2" when placed side by side.


Grill furnished as extra equipment for self-contained installation.

**Automatic ice maker optional.
Specify.



R1-200 Refrigerator-Freezer

"Executive" Refrigerator-Freezer Huge refrigerator-freezer combination with separate freezer compartment for large families. A full 19 cu ft of storage in just 36" of built-in wall space. Available in Chambers Antique Copperlux, Stainless Steel, or decorator colors.



SPECIFICATIONS Series R1-200 Refrigerator-Freezer 25 lb Freezer Capacity

	R1-200*
Capacity Refrigerator	19 cu ft
Dimensions Height Width Depth	84" 36" 24"
Exact Rough-in Width Height	35-1/2″ 83-3/4″
Horsepower Refrigerator Freezer	1/5 1/8
Shipping Weight	468

*Automatic ice maker optional. Specify.

BUILT-INS CO., P. O. Box 218, Arlington Heights, Illinois DIVISION OF CHAMBERS CORP.




custom-matched, built-in loveliness, in breathtaking finishes

SPACE-SAVER REFRIGERATOR FREEZER


16½ CUBIC FEET CAPACITY
Model No. RF1-170


This brand new Chambers refrigerator-freezer was designed to provide you with the *ultimate* in food storage capacity at a minimum of cost, without sacrifice of quality and design features!

Since 1910 Chambers has pioneered many outstanding developments for the modern kitchen—including the one complete line of refrigerator-freezers with luxurious finishes and custom-matched colors that will enhance the beauty of any home—and, within budget limitations.









DECORATOR DOOR

All door panels of Chambers refrigerator-freezers are removable to permit installation of panels in any finish desired: wood, plastic, or colors. Finishes: Prime Coat (for painting any color or inserting decorator panels 1/8" or less thick), Decorator White, Pink, Yellow, Turquoise, Antique Copperlux, or Stainless Steel.

Model RF1-170 Refrigerator and Freezer	Capacity 11.7 cu ft Refrigerator 4.5 cu ft Freezer	Height 73″	Wid		Depth
*Roughing in Dimensions 35½" wide 72¾" high	Condensing Unit ¼ hp	She Are 11.4 s (refriger 9.4 so (freeze	a q ft rator) q ft	V	nipping Veight 435 lb

^{*}All roughing-in dimensions minus .000 and plus 1/8"

SPECIFICATIONS MODEL RF1-170



FEATURES

CUSTOM-MATCHED FINISHES: Standard colors at no extra cost: Decorator white, pink, yellow, or turquoise deluxe baked-on enamel . . . or deluxe finishes at slight additional cost: Antique Copperlux and Stainless Steel!

NO EXTRA "BUILT-IN" INSTALLATION

COSTS: All Chambers built-in refrigerator-freezers require no expensive framing or cabinet installation. Each unit is self-framing and self-supporting. Only 24" deep, the refrigerator door does not protrude beyond the cabinet line. Easy to clean inside and out—catches no dust because it's built in! Easy to service, too: The long-life, hermetically-sealed compressor is located behind the lift-off front grill; you'll never have to pull the unit out into the kitchen to service!

IDEAL BUILT-IN DIMENSIONS: 36" wide, including outer frame, yet its 73" height is perfect for problem installations. Fits easily under low ceilings, soffits, and stairways.

OPTIMUM STORAGE ARRANGEMENT: Two deluxe pull-out crispers, with large egg basket between. Adjustable pull-out shelves may be quickly rearranged to your convenience.

CUSTOM-MATCHED INTERIORS: Smart arrangement of classic white, decorator gray, and gold trimall on heavy rust-free aluminum—easy to clean and keep clean!

SEPARATE CONTROLS FOR REFRIGERATOR AND FREEZER: Choose your own temperature for each compartment. Heavy-duty ¼ hp hermeticallysealed compressor for long-life operation. Air condenser dispels any warm air for highest efficiency.

AUTOMATIC REFRIGERATOR DEFROST: All Chambers refrigerators defrost automatically!

QUICK-FREEZE FREEZER: Big-capacity door storage. Four deluxe ice cube trays furnished. Stores all packages at zero or lower temperatures. A freezer-plate beneath each shelf, yet packages never touch coilsprotects against "freezer burn.

REMOVABLE DECORATOR DOOR PANELS

Insert your own decorative door panels of wood, cloth, plastic (1/8" or less thick) to suit your own kitchen decor! Side panels in full and half lengths available when needed, at slight additional cost.

INSTALLATION DETAILS: Simply place in roughed-in opening and plug into 115-volt, 60-cycle a-c electrical outlet. Entire unit can be leveled and squared from front. Remote installation, when required, may be made easily by qualified refrigeration serviceman at user's expense. (Available with right- or left-hinge doors as you face unit. Specify.)

CHAMBERS UNIQUE "UNI-TEMP" SYSTEM:

New achievement in finer refrigeration! With Chambers 'Uni-Temp," refrigerated "Moist-Cold" air gently



circulates up, out, and down to every corner of the refrigerator. It is then drawn up behind the refrigeration plate, across all cooling coils, and then recirculated.

Result—your Chambers refrigerator maintains uniform temperature at all times...from top to bottom!

In keeping with Chambers program of continuous improvement, models and specifications are subject to change without notice.

BUILT-INS CO. · 2012 North Harlem Ave., Chicago 35, Illinois Division of Chambers Corp.



SUGGESTED LIST PRICES

EFFECTIVE MARCH 1, 1961

Prices on this list supercede all previous prices and price lists. All prices and specifications are subject to change without notice. All orders accepted subject to prices in effect at date of shipment.

Prices shown in this price list include Federal Excise Taxes, but no local or state taxes.

We reserve the right to alter design, specifications or materials without incurring any obligation.

The suggested list prices are not applicable in the states of Texas, Vermont or Missouri or any other state which forbids the listing of suggested list prices.

Chambers BUILT-INS co.

A DIVISION OF CHAMBERS CORPORATION.

P.O. BOX 218 ARLINGTON HEIGHTS, ILLINOIS

Finish

Color

Additional Features Available:

(W)

OGV1-4AIR Satin Chrome

OGV1-5A1R Copperlux OGV1-8A1R Color

(Stack-on Models)

(Built-in Models) OGAO-4

Satin Chrome

Satin Chrome

Satin Chrome

Satin Chrome

Satin Chrome

Satin Chrome

Satin Chrome or Color

Satin Chrome

or Color

Copperlux

Copperlux

Color

Color

GAS SURFACE UNITS

Copperlux

Copperlux

Copperlux

(T) Manual "Minute Minder" Timer (CT) Electric Clock with "Minute Minder"

DELUXE OVENS

IMPERIAL "RETAINED HEAT" OVENS

CUSTOM SURFACE UNITS - GAS

DELUXE SURFACE UNITS

IMPERIAL SURFACE UNITS

Window and Oven Light

Model

OGB-4

OGB-5

OGB-8

UGV1-41 OGV1-51

OGV1-81

ROT-41

OGA-4 OGA-5

OGAO-8

OGAO-42

OGAO-52

OGAO-82

T1-21G

T1-21GH

T1-33G

T1-33GH

T1-33GS

T1-33GSH

*TO-42-G

		ELECTRIC C	VENS		
Custom Ovens	Suggested List Price	Model	Finish	"Imperial" "Retained Heat" Ovens - Electric	Suggested List Price
Builder Model "Custom" Oven,	\$211.95		CUST	OM SINGLE OVENS	
solid door, porcelain control panel, thermostat only, standard door handle.		OEB-4 OEB-5 OEB-8	Satin Chrome Copperlux Color	Custom Model, Single Oven, solid door.	\$172.85
: linute Minder'' Timer lock with ''Minute Minder'' d Oven Light	7.10 29.45 13.95	OEB2-4 OEB2-5 OEB2-8	Satin Chrome Copperlux Color	Custom Model, <u>Double</u> Oven, two solid doors.	248.85
LUXE OVENS		Additional F		e: Minute Minder'' Timer : Electric Clock Control with	7.10
Standard Bi-Level Oven. (Rotisserie Optional)	307.75	0.001		nd Oven Light XE SINGLE OVENS	25.95 13.95
Deluxe Bi-Level Oven, automaticock controlled oven complete	c 366, 65	OEC1-4A1 OEC1-5A1 OEC1-8A1	Color	Deluxe Model, window and light, automatic clock control. (Rotisserie Optional) UXE DOUBLE OVENS	231.00
with 60 minute timer and automatic Roastguide, window and light.		OEV1-4A1 OEV1-5A1 OEV1-8A1	Satin Chrome Copperlux Color	Deluxe Bi-Level Oven, with separate thermostats.	316.65
Rotisserie - Optional.	29.35		Satin Chrome Copperlux	Deluxe Bi-Level Oven, automatic clock controlled oven and automatic Roastguide, window and light. Rotisserie	366.65
RETAINED HEAT" OVENS			HIMDEDIAL II III	standard. RETAINED HEAT" OVENS	
"Retained Heat" stack-on ovens	. 399.95	(Stack-on M OE-4 OE-5		"Retained Heat" stack-on ovens, automatic electric clock control.	399.95
"Imperial" built-in "Retained Heat" ovens.	399.95	(Built-in Mo OEO-4 OEO-5	odels) Satin Chrome Copperlux	"Imperial" built-in "Retained Heat" ovens, automatically	399.95
"Imperial Twins" double oven built-in "Retained Heat".	799.95	OEO-8	Color	clock controlled with minute minder, oven light. "Keep Warm" control and Rotisserie.	
		(Built-in Mo OEO-42 OEO-52 OEO-82	dels) Satin Chrome Copperlux Color	"Imperial Twins" double oven built-in "Retained Heat", rotisserie.	799.95
		ELECTRIC	SURFACE UNITS		
OVIDELCE VENEZA GLA			CUSTO	OM SURFACE UNITS	
"Space Saver" Drop-in with	93.30	T1-21E	Satin Chrome or Color	"Space Saver" Drop-in with three 6-inch and one 8-inch speed elements.	132.20
four hi-speed burners. As above with three Hi-speed aluminum burners and one thermostat "Heat Miser".	121.10	TC-33E	Satin Chrome or Color	speed elements. 33" Drop-in, 3" deep, with two 6-inch and two 8-inch speed elements.	127. 75
33" Drop-in, 3" deep with four hi-speed burners.	108.90		DELU	XE SURFACE UNITS	
33" Drop-in, as above, with three hi-speed burners and one thermostat "Heat Miser"	136.65	T1-33E	Satin Chrome	As above with Infinite Control elements, new matching control knobs.	144. 45
		T1-33EH	Satin Chrome or Color	As above with "Heat Miser".	172.20
KE SURFACE UNITS		TOR-33E	Satin Chrome or Color	33" Deluxe Thinline with waterseal rim all around.	147.75
Deluxe 33" Drop-in, four Super Daisy simmer action burners.	144. 45	TOR-33EH	Satin Chrome	Surface is flush with counter- top. Same as TOR-33E with one	175.55
As above, with one thermostatic "Heat Miser".	172. 20		or Color	"Heat Miser".	
			IMPER	IAL SURFACE UNITS	
THE STATE OF THE S		*TO-42-E		42" All Electric top with In- a-Top electric broiler with sizzling platter, thermostat	366.65
AL SURFACE UNITS	266 65			controlled griddle. Thermo- stat controlled "Heat Miser".	
42" All Gas top with In-a-Top ive-flame broiler with sizzling platter, griddle on top. Four "Super Daisy" burners, thermo stat "Heat Miser".		*TO-42-C		42" Contempra - "Dual Fuel" with patented In-a-Top live-flame broiler. Two 6-inch, one 8-inch Infinite Control elements, one thermostat controlled automatic "Heat	- 366.65
				Miser".	

* Copperlux Front Panel End, and Back Panels Optional.

CHAMBERS BUILT-IN REFRIGERATOR-FREEZERS

Model	Finish	Custom Refrigerator-Freezers	Suggested List Price
RF1-170 RF1-174 RF1-175 RF1-178	Prime Stainless Copperlux Color	12.0 cu. ft. refrigerator, 4.5 cu. ft. freezer.	\$866.15 935.90 935.90 875.25
	DELUXE REI	FRIGERATOR-FREEZERS	
R1-120 R1-124 R1-125 R1-128	Prime Stainless Copperlux Color	12 cu. ft. refrigerator, In- a-Wall, waist-high, condensor may be installed remote. Hinge (R or L)	630.60 684.35 684.35 641.70
F1-120 F1-124 F1-125 F1-128	Prime Stainless Copperlux Color	Freezer, In-a-Wall, with ice cube ejector trays. Grill extra. Hinges (R or L)	608.15 664.35 664.35 619.50
R1-180 R1-184 R1-185 R1-188	Prime Stainless Copperlux Color	17.8 cu. ft. refrigerator, largest domestic size super capacity - not equipped to make ice. Specify Hinge (R or L)	837.00 899.90 899.90 855.00
F1-180 F1-184 F1-185 F1-188	Prime Stainless Copperlux Color	14 cu. ft. freezer, with ice cube ejector trays. Companion unit to R1-180. Specify Hinge. (R or L)	765. 25 841. 70 841. 70 783. 25
R1-200 R1-204 R1-205 R1-208	Prime Stainless Copperlux Color	19 cu. ft. giant refrigerator, including freezer with 25 lbs. of ice capacity or 125 lbs. of frozen foods. Separate condensors. Specify Hinge. (R or L)	1021.00 1101.90 1101.90 1039.00
RF1-190 RF1-194 RF1-195 RF1-198	Prime Stainless Copperlux Color	Refrigerator-Freezer Combo, ideal family size. Separate condensors. Specify Hinge. (R or L)	998. 80 1079. 45 1079. 45 1016. 55
(IM)		Maker - Available on Models 80, RF1-190, R1-200	88.90
	IMDEDIAL	REFRIGERATOR-FREEZERS	
F1D-180 F1D-184 F1D-185 F1D-188	Prime Stainless Copperlux Color	Same as Model F1-180 with automatic ice maker, auto- matic defrost, deluxe swing- out shelf.	1012.15 1088.35 1088.35 1030.10
RF1D-190 RF1D-194 RF1D-195 RF1D-198	Prime Stainless Copperlux Color	Same as Model RF1-190 with automatic ice maker, auto- matic freezer defrost deluxe swing-out shelf	1245.45 1326.30 1326.30 1263.45
	<u>IC</u>	E MAKER FREEZER	
UC1-300 UC1-304 UC1-305 UC1-308	Prime Stainless Copperlux Color	Undercounter, 18" width, freezer with automatic ice maker. Self-contained 23" deep - 34-1/2" high.	428.65 446.65 446.65 435.25
_		. OPTIONAL AND EXTRA:	
Side Panel, Side Panel, Side Panel,	Full Length - Full Length - Half Length -	Stainless Steel or Antique Copperlux Prime (specify length)	32.00
Side Panel,	Half Length - fy length) Factory crati	Stainless Steel or Antique Copperlux ing of panels (extra) - no charge if alled at factory.	64.00
Specify eit		swing door, as you face unit.	

CHAMBERS AUTOMATIC DISHWASHER-DRYER

Suggested

Model	Finish	Drain	Custom Deluxe Gravity Dishwashers	List Price
DGS-304 DGS-305 DGS-308	Satin Chrome Copperlux Color*		Custom Deluxe 24" wide, undercounter with Swirl-a-Tray upper rack, service for 12, with selection of six distinct cycles.	\$299.95 299.95 299.95
	CUSTOM DI	ELUXE P	UMP DISHWASHERS	
DPS-314 DPS-315 DPS-318	Satin Chrome Copperlux Color*	Pump Pump Pump	Custom Deluxe, same as above, with pump drain.	304. 40 304. 40 304. 40
	IMPERI	AL PUMI	DISHWASHERS	
DPD-324 DPD-325 DPS-328	Satin Chrome Copperlux Color*	Pump Pump Pump	Super Deluxe, with two push button controlled Pot and Pan Pre-Wash and Breakfast Dish Pre-Rinse.	326.65 326.65 326.65
			This woods	

VENTILATING HOODS

TO BE USED WITH BLOWERS

				Suggested List	
Model	Size	Finish	Hood Style	Price	
HC-30-5	30"	Copperlux	Contemporary-Straight Edge	\$ 52.35	
HC-36-5	36"	Copperlux	Contemporary-Straight Edge	54.65	
HC-42-5	42"	Copperlux	Contemporary-Straight Edge	56.10	
		*Color			
HP-30-5	30"	Copperlux	Provincial - Scallop Edge	53, 45	
HP-36-5	36"	Copperlux	Provincial - Scallop Edge	55. 45	
HP-42-5	42"	Copperlux	Provincial - Scallop Edge	56.85	
HC-30-4	30"	Stainless	Contemporary-Straight Edge	82. 75	
HC-36-4	36"	Stainless	Contemporary-Straight Edge	87.65	
HC-42-4	42''	Stainless	Contemporary-Straight Edge	94. 85	
		*Color			
Blower		acked Separately.	entilating Hoods Interchangeable in mbers Hood Models.		
B-91	One I	Blower - One Spee	d	32.45	
B-92		Twin Blower - Two Speed with Twin Light Receptacles.			

FAN TYPE VENTILATING HOODS

Colored Hoods are available in straight edge style only. Orders for scalloped colored hoods will not be honored.

 $\,$ All straight edge hoods available in Pink, Turquoise, Yellow and White at same price as Copperlux hoods.

Model	Size	Style	Finish	Suggested List Price
HF-30-5	30"	Straight Edge	Copperlux	\$ 29.35
HF-36-5	36"	Straight Edge	Copperlux	30.95
HF-42-5	42"	Straight Edge	Copperlux	32.65

FAN TYPE	VENTILATING	HOODS	(Continued)

				Suggested		(For Both Blow	er and ran-Type Hoods)	
				List	SP-30-5	30" w x 24" high	Copperlux	\$ 15.20
Model	Size	Style	Finish	Price	SP-36-5	36" w x 24" high	Copperlux	15.20
					SP-42-5	42" w x 24" high	Copperlux	15.20
HF-30-4	30"	Straight Edge	Stainless Steel	\$ 48.30	22 12 0		Copperius	10.20
HF-36-4	36"	Straight Edge	Stainless Steel	53.20	SP-30-4	30" w x 24" high	Stainless Steel	21.90
HF-42-4	42"	Straight Edge	Stainless Steel	58.70	SP-36-4	36" w x 24" high	Stainless Steel	24.65
					SP-42-4	42" w x 24" high	Stainless Steel	28. 20
FRS-103	Acces	sory (2 light rece	eptacles and 2 switches)	5. 55		12 H 12 11611	burniços steet	20.20
						DELU	XE DISPOSERS	
Fan Asser	nblies -	· (Packed in Separ	rate Cartons)	11-11-1		TRO	UBLE FREE	
F-100 Kit	Fan a	nd Grill Only		22.20				
F-101 Kit	Fan,	Grill and Filter		24.45				Suggested
F-102 Kit	Fan,	Grill, Filter, Rec	ducer and Damper	28.35				List
				and the last of	Model	Description		Price
					CH-8000	"Hushaway",	1/3 H.P., continuous	
MITERED	FAN-T	YPE HOODS - (sl	hipped completely assemble	ed)		feed, "whispe	er quiet". Iron clad	
						one year guar	rantee.*	\$102.25
HFM-30-5	30"	Straight Edge	Copperlux	47.75				
HFM-36-5	36"	Straight Edge	Copperlux	48.90				
HFM-42-5	42"	Straight Edge	Copperlux	50.00				
HFM-30-4	30"	Straight Edge	Silvertone	47.75	CF-880		ixe Model, 1/3 H.P.,	
HFM-36-4	36"	Straight Edge	Silvertone	48.90			ed, with iron clad	
HFM-42-4	1 4911	Straight Edge	Silvertone	50.00	The state of the s	one year guar	rantee *	72.25

SPLASH PLATES

B355-\$55.02 1zhone

1566-\$66.00 1zhone

4-595- Hushar/95.00 1zhone

